



Central Mindanao University
BIDS AND AWARDS COMMITTEE
 Musuan, Bukidnon

NOTICE OF AWARD

05 OCT 2020

RICHEL V. VILLANUEVA
Authorized Representative/Manager
GAKKEN PHILS.,INC.

PhilGEPS Registration No. 2001-1790
 130 GPI Bldg., cor.A. Lake St. Aurora Blvd.
 San Juan City Metro Manila
 #8 Osmena Village M, L Quezon Ave.

Dear Sir:

This is to inform you that your bid proposal for the project **PROCUREMENT OF INTERACTIVE WHITEBOARD** which shall be funded under **STF** after having been post-qualified and declared to have obtained the Single Calculated Responsive Bid, has been recommended for award by the Bids and Awards Committee (BAC) of Central Mindanao University by virtue of **BAC Resolution No. STF-PB-25-025**, and the same has been approved by the Central Mindanao University thru the undersigned at the amount of **One Million Two Hundred Sixty Seven Thousand Five Hundred Fifty Five Pesos and 54/100 centavos (Php1,267,555.54)**. You are hereby requested to manifest your acceptance of this Notice of Award.

Relative thereto, and in accordance with the provisions of the documents and Revised R.A. No. 9184, otherwise known as the Government Procurement Reform Act and its Implementing Rules and Regulations, you are hereby instructed to submit the following documents with ten (10) calendar days from the date of your receipt of this Notice of Award to within:

A. PERFORMANCE SECURITY

This is to be posted in favor of the Central Mindanao University, in the form of cash, manager's check, cashier's check, bank draft/guarantee confirmed by local bank, irrevocable letter of credit issued by a reputable bank, surety bond callable upon demand, issued by the Government Service Insurance System or any reputable surety or insurance company duly accredited by the Office the Insurance Commissioners, or a combination thereof **IN ACCORDANCE** with the following schedule:


FORM OF PERFORMANCE SECURITY	AMOUNT OF PERFORMANCE SECURITY (EQUAL TO PERCENTAGE OF THE TOTAL CONTRACT PRICE)
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Thirty percent (30%)
Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Within the same period of ten (10) days as indicated above, you are directed to enter into and execute the Goods Contract with the University.

This Performance Security shall be forfeited in favor to Central Mindanao University in the event of default on your part in the performance of any of your obligations under the Contract.


Finally, it must be noted that you shall not commence the work nor initiate the procurement of materials for the project prior to your receipt of the Notice to Proceed.

Very truly yours,



JESUS ANTONIO G. DERRIG
President

Received, Acknowledged and Accepted:

Name: ARWON N. SAN MICHAEL
Signature: 
Date: 10-9-20

OFFICE OF THE BIDS AND AWARDS COMMITTEE

CONTRACT OF AGREEMENT

REF. NO. STF-PB-20-025

THIS AGREEMENT made this 13 OCT 2020 between CENTRAL MINDANAO UNIVERSITY of the Philippines (hereinafter called "the Entity") of the one part and **GAKKEN PHILS., INC.** at 130, GPI BLDG, AURORA BLVD. COR. A LAKE ST., San Juan City, Metro Manila, NCR, Philippines (hereinafter called "the Supplier") of the other part:

Whereas, the Entity invited Bids for certain goods and ancillary services, viz., **PROCUREMENT OF INTERACTIVE WHITEBOARD** and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *One Million Two Hundred Sixty Seven Thousand Five Hundred Fifty Five Pesos and 54/100 (Php1,267,555.54)* with the items listed below:

ITEM	UNIT	QTY	DESCRIPTION	OFFER	UNIT PRICE	TOTAL AMOUNT
LOT 1						
-						
1	1	LOT	1 unit "Interactive Whiteboard Display	KONKA INTERACTIVE WHITEBOARD BUNDLE WITH: 1 UNIT WHARFEDALE SUB-WOOFER, 1 SET WIRELESS MICROPHONE, 1 UNIT ELECTRO VOICE HEAD-WORN LAPEL, 2 UNITS ELECTRO VOICE PASSIVE SPEAKERS,	689,777.77	689,777.77
			Size (inches): 86			
			Display Ratio: 16:9			
			Contrast Ratio: 1200:1			
			Color 10 Bit: 1.07B 10			
			Brightness: 410Bit			
			Maximum Resolution: 3840(H) * 2160(V) 4K			
			Design: All-aluminum design, front speaker, front panel with single button, two USB inputs; Ports 4 HDMI 2.0; 1VGA; 1 VGA Audio; 1 MIC; 3 USB (type B); 1DP; 1 Earphone; 1 RJ45; 1 RS232			
			Ports: 4 HDMI 2.0; 1VGA; 1 VGA Audio; 1 MIC; 3 USB (type B); 1DP; 1 Earphone; 1 RJ45; 1 RS232			
			Speaker Power: 2*15W			

			Viewing Angle: 178°(H) * 178°(V)		
			Power Consumption: 100-220V ~ 50/60Hz		
			Life Span: 30000 hrs		
			Appearance		
			Dimension: 1970.1x1184.7x2mm		
			Weight: 140Kg		
			Holes Space: 600*400mm		
			Carton Size: 2194*1490*363mm		
			" 1		
			"Touch		
			Touch: Built in		
			Induction Method: Infrared / Capacitive Position Resolution: 32768*32768		
			Communication Port: USB		
			Responding Speed: Single point: ≥ 2.5; 2 ~ 10 points: ≥ 1m/s		
			Writing Style: Fingers, whiteboard pens, and any opaque objects		
			System Power Supply: USB direct power supply		
			Positioning Accuracy: More than 90% of the touch area is 2mm		
			Number of Touches: Unlimited in theory, unlimited touch pressure		
			Calibration: Meet HID requirements without calibration		
			Minimum Identification Diameter: 3mm		
			Accessories		
			Software: Screen software, Android whiteboard software, full channel annotation software		
			Annex: Manual, certificate, warranty card, power cord, remote control, touch pen 2, WiFi antenna rod 4, wall mounted bracket		
			With Stand.		
			"		
			"TERMS OF REFERENCE		
			INCLUSION OF THE PACKAGE:		

			Provision of the following:			
			1. Supply, delivery and installation of all Intelligent meeting hub			
			2. Secure that the spare parts should be available in the market for the next 2 years upon completion of the project.			
			3. Conduct a hands-on training for 1 to 2 days upon completion of the project.			
			4. Provide manuals, brochure of the product, or certification from the manufacturer that the specifications are true and correct.			
			5. Provision, that the supplier must be the authorized distributor of the product offered.			
			6. Minimum of 10 years in the industry for the supply and installation of equipment to ensure company competence and stability for supports.			
			WARRANTY:			
			1. Provision of ONE (1) year warranty for the LED units, parts, and accessories.			
			"			
			"Bundled With:			
			1 Unit Wharfedale Sub-woofer			
			• 400W RMS/800W Program / 1600W Peak			
			• 131 dB Max SPL			
			• 40 Hz - 250 Hz frequency response			
			• 150 Hz crossover frequency			
			• 90° x 60° Elliptical Wave Guide Horn			
			• 15" woofer			
			• ProTech driver			
			• Speakon and 6.3mm jack connections			
			• Signal and protect LEDs			
			• Durable black carpet covering			
			• 35mm pole insert			
			• New four way carry handle design"			
			"1 set Wireless Microphone			

			AKG Dual Channel			
			<ul style="list-style-type: none"> Carrier Frequency Range: DFS (dynamic frequency selection) in 2.4 GHz ISM band 			
			<ul style="list-style-type: none"> Switching Bandwidth: DFS 			
			<ul style="list-style-type: none"> RF Output: max. 100mW 			
			<ul style="list-style-type: none"> Diversity Antennae: Digital diversity 			
			<ul style="list-style-type: none"> Modulation: OFDM (Orthogonal Frequency- Division Multiplexing) 16 MHz 			
			<ul style="list-style-type: none"> Gain DSR 70: 0 - 1.4Vrms 			
			DHT 70:			
			max. SPL: ≤ 142 dB (GAIN = LOW)			
			max. SPL: ≤ 129 dB (GAIN = HIGH)			
			<ul style="list-style-type: none"> Microphone Capsule: DHT 70: Dynamic hypercardioid - D5 			
			<ul style="list-style-type: none"> Frequency Response 20 - 20,000Hz (± 1 dB) 			
			DHT 70: 70 - 20,000 Hz (± 3 dB)			
			<ul style="list-style-type: none"> THD: ≤ 0.05 % 			
			<ul style="list-style-type: none"> Dynamic Range: DSR 70: 120 dB(A) DHT 70: 120 dB(A) 			
			<ul style="list-style-type: none"> Encryption 128 Bit AES 			
			<ul style="list-style-type: none"> Range Indoor 30m NLOS 			
			Outdoor 50m LOS			
			<ul style="list-style-type: none"> Power Supply DSR 70: 12 VDC, 0.5A 			
			DHT 70:			
			~ 6 hours: 2x LR6 AA alkaline batteries			
			~ 7 hours: 2x AA NiMH batteries			
			<ul style="list-style-type: none"> Dimensions: DSR 70: 			
			Standalone: 11.92 x 1.65 x 5.66" (303 x 42 x 144mm)			
			Rack: 18.97 x 1.65 x 5.66" (482 x 42 x 144mm)			
			DHT 70: 9.17 x 2" (233 x 51mm)			
			<ul style="list-style-type: none"> Weight DSR: 70: 2.6 lb (1180g) 			
			DHT 70: 9.17 oz (260g)			
			"			
			"1 Unit Electro Voice Headworn Lapel			
			<ul style="list-style-type: none"> Antennas : Flexible TNC 1/2 			

			Wave			
			• Audio Frequency Response : 80 Hz - 18kHz +/-2dB			
			• Balanced Line Level Output (RMS Adjustable) : 10 - 100 mV			
			• Case Material : metal			
			• Connector Type : 1/4 inch unbalanced, 3-pin XLR balanced			
			• Controls : on/off, Set, Up, Down, Sync			
			• Distortion (@ 1 kHz, 40 kHz deviation) : Less than 1.0, 0.4 typical%			
			• Diversity : True Antenna			
			• Dynamic Range : greater than 95dB			
			• Element : HM-3 Omni- directional headworn			
			• Number of Channels : 32 per band, 8 Simultaneous			
			• Operating Temperature Range : 5° - 45° C (41° - 113° F)			
			• Polar Pattern : Omnidirectional			
			• Power Requirement :12-16 VDC, 500 mA max			
			• Power Supply : 12 VDC, 500mA max			
			• Receiver Type: Synthesized PLL			
			• RF Frequency Range : 16MHz			
			• RF Output : 8 mW typical			
			• RF Sensitivity (12 dB SINAD) : less than 1.0uV			
			• Signal-to-Noise Ratio (A- weighted) : greater than 100dB			
			• Squelch : Tone code plus Amplitude			
			"			
			"2 Units Electro Voice Passive Speakers			
			• Frequency Response 82 Hz - 18 kHz ¹			
			• Frequency Range 55 Hz - 20 kHz			

			• Axial Sensitivity 95 dB			
			• Maximum SPL 125 dB			
			• Power Handling 250 Watts Continuous, 1000 Watts Peak			
			• LF Transducer EVS-12K, 300 mm (12 in) Woofer			
			• Enclosure Polypropylene			
			• Grille 18 Gauge Steel with Black Powder Coat			
			• Dimensions (H x W x D) 610 mm x 356 mm x 356 mm (24 in x 14 in x 14 in)			
			• Net Weight 14.9 kg (32.8 lb)			
OP - OD ABRENILLA						
	1	Unit	Interactive WhiteboardDisplay : 65 inches Ultra Slim Anti - Glare Tempered Glass Resolution: 1950 x 1080 Max: 3840(H)*2160(V) Touch Resolution: 4096 x 4096 With Stand	ONE(1) KONKA Interactive Whiteboard for Board Room	577,777.77	577,777.77
						1,267,555.54

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

1. The following documents shall be deemed to form and be read and construed as part of this agreement, viz,:

- (a) the Bid Form and the Price Schedule submitted by the Bidder;
- (b) the Schedule of Requirements;
- (c) the Technical Specifications;
- (d) the General Conditions of Contract;
- (e) the Special Conditions of Contract; and,
- (f) the Entity's Notification of Award.

2. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

3. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may


become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.


The Common Seal of CMU, Musuan, Bukidnon was herein affixed in the presence of **DR. JESUS ANTONIO G. DERIJE**

Signed, sealed, and delivered by **GAKKEN PHILS., INC.** in the presence of **RICHIE V. VILLANUEVA**.

Binding Signature of Entity:



JESUS ANTONIO G. DERIJE
President

Binding Signature of Supplier:


NELSON R. SAN MIGUEL
Authorized Representative

Witness:


RICO A. MARIN
BAC Chairman


MARIA JAMELLAH CELESTE M. MAGALONA
Chief, Accounting Unit

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES)
PROVINCE OF BUKIDNON) s.s.
MUNICIPALITY OF MARAMAG)

BEFORE ME, a Notary Public for in the above jurisdiction, on this _____ day of _____ at _____ personally appeared the following, exhibiting to me following described Competent Evidence of Identity (CEI) in accordance with the 20m Rules on Notarial Practice.

Name	Competent Evidence of Identity	Date/place Issued
JESUS ANTONIO G. DERIJE		
NELSON R. SAN MIGUEL		


Known to me to be the same person who executed the foregoing instrument and who acknowledge to me that the same is their free and voluntary act and deed.

This instrument refers to the Contract of Agreement consisting of (3) pages including this page, signed by the parties and their witnesses on each and every hereof and thereof, including this page whereon the acknowledgement is written.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed on every page hereof my notarial seal this _____ day of _____ in the Municipality of _____, Province of _____.

OCT 29 2020

393
80
12
20


NOTARY PUBLIC
Notary Public (Supply)
Davao City
October 31, 2021
D.C.
D.C.
2021
E-mail: [unreadable]