

Republic of the Philippines Central Mindanao University

BIDS AND AWARDS COMMITTEE

Musuan, Bukindon

NOTICE OF AWARD

October 20, 2020

MS. CHARIZA T. DADOLE
The Manager
COPYLANDIA OFFICE SYSTEM CORPORATION
718 Sgt. Bumatay Street, Mandaluyong City,
Metro Manila, NCR, Philippines

Dear Sir/Madam;

This is to inform you that bid proposal for the project: PROCUREMENT OF PHOTOCOPIER which shall be funded under STF after having been post-qualified and declared to have obtained the Lowest Calculated Responsive Bid, has been recommended for award by the Bids and Awards Committee (BAC) of Central Mindanao University by virtue of BAC Resolution No. STF-PB-20-28 and the same has been approved by the Central Mindanao University thru the undersigned for several items at the amount of Eight Hundred Ten Thousand Pesos Only (Php810,000.00). You are hereby requested to manifest your acceptance of the said.

Relative thereto, and in accordance with the provisions of the documents and Revised R.A. No. 9184, otherwise known as the Government Procurement Reform Act and its implementing Rules and Regulations, you are hereby instructed, the following documents with ten(10) calendar days from the date of your receipt of this Notice of Award to wit:

A. PERFORMANCE SECURITY

This is to be posted in favor of the Central Mindanao University, in the form of cash, manager's check, cashier's check, bank draft/guarantee confirmed by local bank, irrevocable letter of credit issued by a reputable bank, surety bond callable upon demand, issued by the Government Service Insurance System or any reputable surety or insurance company duly accredited by the Office the Insurance Commissioners, or a combination thereof IN ACCORDANCE with the following schedule:

FORM OF PERFORMANCE SECURITY	AMOUNT OF PERFORMANCE SECURITY (EQUAL TO PERCENTAGE OF THE TOTAL CONTRACT PRICE)
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	-
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Thirty percent (30%)
Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Within the same period of ten (10) days as indicated above, you are directed to enter into and execute the Goods Contract.

This Performance Security shall be forfeited in favor of the Central Mindanao University in the event it is established that you are in default in any of your obligations under the Contract.

Finally, it must be noted that you shall not commence the work nor initiate the procurement of materials for the project prior to your receipt of the Notice to Proceed.

Very truly yours,

ESUS ANTONIO G. DER

resident

Received, Acknowledged and Accepted:

Name: Arica M. Valmorca Signature:

Date: 11-11-2010

Republic of the Philippines CENTRAL MINDANAO UNIVERSITY

University Town, 8710 Musuan, Bukidnon E-mail Add. <u>bac@cmu.edu.ph</u>; Website: http://www.cmu.edu.ph

OFFICE OF THE BIDS AND AWARDS COMMITTEE

CONTRACT OF AGREEMENT

REF. NO. STF-PB-20-028

THIS AGREEMENT made this _	DEC 2 1 2020,	between CENTRAL MINDANAO
UNIVERSITY of the Philippines	(thereinafter called "the	Entity") of the one part and COPYLANDIA
OFFICE SYSTEMS CORPORATIO	ON (COPYLANDIA) at	Copylandia Corporate Center,718
Bumatay St. Mandaluyong C	ity, Metro Manila (hereinafter called "the Supplier") of the other
part:		

Whereas, the Entity invited Bids for certain goods and ancillary services, viz., **PROCUREMENT OF PHOTOCOPIER** and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *Eight Hundred Ten Thousand Pesos Only (Php810,000.00*) with the items listed below:

ITEM	UNIT	QTY	DESCRIPTION	OFFER	UNIT PRICE	TOTAL AMOUNT
CMUPR	CMUPRES LC RAZALO					
1	1	Unit	Laser,20ppm	CV3130	120,000.00	120,000.00
		_	Printing, Copying, Scanning,			
	_		High Resolution (600x600 dpi)			
			High Quality			
			3 papers trays			
			Paper Handling: Max A3			
			USB: Scan to memory device			
	-		With mobile connectivity printing			
			With automotic document feeder			
			OS Compability: Windows XP/Vista/7/8/10			
2	1	Unit	Printing, Copying, Scanning, Fax function	DEVELOP INEO+226	150,000.00	150,000.00
			High Resolution (4,800 x 1,200 dpi)			
			High Quality			
			3 papers trays			
	_		Paper Handling: Max A3 and			

	1	 	T	<u></u>	1	
			up			
			USB: Scan to memory device			
			With mobile connectivity printing			
			With automotic document feeder			
			OS Compability: Windows XP/Vista/7/8/10			
NURSI	NG - TLN	PAINAGA	N			
1	1	Unit	Operational Panel: 4-Line LCD	DEVELOP INEO 287	130,000.00	130,000.00
	1		Warm-up tiem: 19 seconds			
	 	 	First output speed: 9 seconds			
			Continous output speed: 23ppm MINIMUM	-		
			Memory:standard: 128MB			
			ARDF Capacity: 50 sheets MINIMUM			
			COPIER			
	_		Multiple copying: up to 999 copies			
			Resolution: 600dpi			
			Zoom: From 25% to 400% in the 1% steps			
	_		PRINTER			
			Printer language: Standard:GDI			-
			Print resolution: 600 x 600 dpi (LASER)			
			Network Interface: Standard: Ethernet (1000/100/10BASE), usb 2.0 Type B x 1			
_			Mobile printing capability: Apple AirPrint TM, Mopria (optional)			
			Windows enviroments: Windows 7/8/8.1/10 Windows Server			
	-		2003/2008/2012/2016 SCANNER: Scanning Speed:			
			Mono: 18ipm Color: 30ipm			
			Resolution: Maximum: 600 dpi			
			Comprehension method: MH/MR/MME/JPEG			

2 I UNIT Printing Process: Fully - Automatic one -drum stencil system Originals: Sheet (one original sheet only) Original Size: Minimum: 90 x 140 mm, Maximum: 270 x 390 mm Print Paper Size: Minimum: 100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141% Pre-set reduction:	80,000.00
system Originals: Sheet (one original sheet only) Original Size: Minimum: 90 x 140 mm, Maximum: 270 x 390 mm Print Paper Size: Minimum: 100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0-127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo mode, Photo/letter mode Image Position: Vertical: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Originals: Sheet (one original sheet only) Original Size: Minimum: 90 x 140 mm, Maximum: 270 x 390 mm Print Paper Size: Minimum: 100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
sheet only) Original Size: Minimum: 90 x 140 mm, Maximum: 270 x 390 mm Print Paper Size: Minimum: 100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Original Size: Minimum: 90 x 140 mm, Maximum: 270 x 390 mm Print Paper Size: Minimum: 100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
140 mm, Maximum : 270 x 390 mm Print Paper Size: Minimum: 100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
390 mm Print Paper Size: Minimum: 100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Print Paper Size: Minimum: 100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
100 x 140 mm, Maximum: 270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
270 x 390 mm Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Print Paper Weight: 35.0- 127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
127.9 g/m2-45-127 gsm Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Print Area: Maximum 250 x 350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
350mm Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Print Speed: 110-130 sheets per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
per minute (2 steps) First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
First Print Speed: less than 45 seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
seconds, Resolution: 300 x 300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
300 dpi Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Image Models: Letter mode, Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Photo mode, Photo/letter mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
mode Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Image Position: Vertical: 10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
10mm, Horizontal: 10 mm Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
Reproduction ratios: Pre-set enlargement: 115, 122, 141%	
enlargement: 115, 122, 141%	
Pre-set reduction:	
71,82,87,93%, Zoom: no	
Colour Printing: By replacing	
colour drum	
Paper Feed /delivery table	
capacity:500 sheets (80g/m2)	
Power Source: 220-240 V, 50-	
60 Hz	
Power Consumption:	
Mximum: Master making:	
less than 175W Printing: Less	
than 175 W (at 90 sheets per	
minute) Standby: 35 W	
Dimension (W x D x H) 1,232	
x 672 x 519 mm, Weight: 40-	
60 kg.	
Photocopier (Dean's Office)	
Photocopies (Dean's Office)	
COA- AGRI/DETALLA Specifications:	
1 1 unit GENERAL SPECIFICATION Develop INEO 287 130,000.00	130,000.00
Warm-up time; 20 seconds;	
First output speed: 4.6	
seconds; Continuous output	
speed: 25 pages per min;	
Memory: 2GB; HDD:320GB	i e

	1		CONSUMABLES	1	1	<u> </u>
			Toner target yield (A4/LT, 6% coverage) -			
			Black - 24,000 prints (25ppm)			
			COPIER			
		<u> </u>	Zoom: From 25% to 400% in			
			1% steps			
	<u> </u>		PAPER HANDLING	·		
			Re; Paper output capacity-		-	
			maximum: 1625 sheets;			
			Paper weight: 52 - 300 g/m2			
			PRINTER			
			Printer language - standard:			
			PCL5e, PCL6, PostScript 3 (emulation), PDF direct			
			(emulation); Printer			
}			language-option: Geniune			
			Adobe ®PostScript 3			
			(emulation), PDF direct			
		}	(emulation); Printer			
	}		resolution-Maximum: 1,200 x			
			1,200 dpi; Interface-Standard			
			: SD slot, USB Host I/F,			
			Ethernet 10 base-T/100 base-TX/1000 base-T; Interface-			
	i		Option: Wireless LAN (IEEE			
			802.11 a/b/g/n), USB Server			
			for Second Network			
:			Interface, Bi-Directional IEEE			
			1284/ECP, USB 2.0"			
OASP -	DA TAN			-		
1	1/	unit	Multifunction Colored 3-in-1	Develop	200,000.00	200,000.00
			Copier	lneo +250i		
			(copier-printer-color			
			scanner); bundle with ARDF			
			automatic reverse document			
			feeder for easy handling of			
			documents; can print up to 12"x24" size by customized			
			setting; up to 300 gsm paper			
			thickness; print at 25 pages			
			per minute; memory			
			standard 2 GB; with free		i	
}		1	consumables and 1 set ink			
			(Black, Cyan, Magenta, and			
			Yellow)			
				GRAND	TOTAL	810,000.00
		_	<u> </u>			

. .

•

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this agreement, viz,:
- (a) the Bid Form and the Price Schedule submitted by the Bidder;
- (b) the Schedule of Requirements;
- (c) the Technical Specifications;

REPUBLIC OF THE PHILIPPINES)
PROVINCE OF BUKIDNON

- (d) the General Conditions of Contract;
- (e) the Special Conditions of Contract; and,
- (f) the Entity's Notification of Award.
- 3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

The Common Seal of CMU, Musuan, Bukidnon was herein affixed in the presence of DR. JESUS ANTONIO G. DERIJE

Signed, sealed, and delivered by COPYLANDIA OFFICE SYSTEMS CORPORATION (COPYLANDIA) in the presence of CHARIZA T. DADOLE.

Binding Signature of Supplier:

JESUS ANTONIO G. DERIJE

President

Witness:

RICO A MARIN

BAC Chairman

MARIA JAMELYAH CELESTE M MAGALONA

Chief, Accounting Unit

ACKNOWLEDGEMENT

MUNICIPALITY OF MARALES AND MA

Name	Competent Evidence of Identity	Dato/place Issued				
JESUS ANTONIO G. DERIJE						
CHARIZA T. DADOLE						
Known to me to be the same person who execu	ted the foregoing instrument and who acknow	ledge to me that the sarpe is their fee and voluntary				
act and deed.		A COSTA				
This instrument refers to the Contract of Agreement consisting of (3) pages including this page, signed by the parties and their winesses of each and every hereof and thereof, including this page whereon the acknowledgement is written.						
IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed on every page hereof my notarial seal this OS BI day of in the Municipality of WHICH WHICH WHICH AND A ST.						