

# PROCUREMENT OF LABORATORY EQUIPMENT

Sixth Edition July 2020

# **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	on I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	8
1.	Scope of Bid	
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	14
6.	Origin of Goods	15
7.	Subcontracts	15
8.	Pre-Bid Conference	16
9.	Clarification and Amendment of Bidding Documents	16
10.	Documents comprising the Bid: Eligibility and Technical Components	16
11.	Documents comprising the Bid: Financial Component	16
12.	Bid Prices	17
13.	Bid and Payment Currencies	18
14.	Bid Security	18
15.	Sealing and Marking of Bids	18
16.	Deadline for Submission of Bids	19
17.	Opening and Preliminary Examination of Bids	19
18.	Domestic Preference	19
19.	Detailed Evaluation and Comparison of Bids	19
20.	Post-Qualification	20
21.	Signing of the Contract	21
Sectio	n III. Bid Data Sheet	23
Sectio	on IV. General Conditions of Contract	25
1.	Scope of Contract	26
2.	Advance Payment and Terms of Payment	26
3.	Performance Security	26
4.	Inspection and Tests	27
5.	Warranty	27
6.	Liability of the Supplier	27
Sectio	on V. Special Conditions of Contract	28
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	
	v v v	

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

EXW - Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid

## **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (e.g., the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



# Republic of the Philippines CENTRAL MINDANO UNIVERSITY Musuan, Bukidnon

# INVITATION TO BID PROCUREMENT OF LABORATORY EQUIPMENT (TF-14)

1. The *Central Mindanao University*, through the *Trust Fund* intends to apply the sum of *Nine Hundred Fifteen Thousand Pesos Only (Php915,000.00)* being the Approved Budget for the Contract (ABC) to payments under the contract for **Procurement of Laboratory Equipment**, corresponding to each lot, detailed as follows:

Lot No.	Description	Approved Budget for the
		Contract (ABC)
1	Laboratory Equipment (AEC)	515,000.00
4	Laboratory Equipment (MM. Guiang),	200,000.00
5	Laboratory Equipment (Q.Curayag)	200,000.00
	Grand Total	915,000.00

- 2. The *Central Mindanao University* now invites bids for **Procurement of Laboratory Equipment** on per lot basis. Delivery of the Goods is required *5-60 calendar days after receipt of the notice to proceed*. Bidders should have completed, within *five years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
  - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183 and subject to Commonwealth Act 138.
- 4. Interested bidders may obtain further information from *Central Mindanao University* and inspect the Bidding Documents at the address given below at the Bids & Awards Office from **7:00-11:00 AM and 1:00-5:00 PM** from March 18,2021 to April 7, 2021.

A complete set of Bidding Documents may be purchased by interested Bidders on January 25,2021 to February 16, 2021 from the address below and upon payment of a nonrefundable fee for the Bidding Documents in the CMU Cashier in listed below:

Lot No.	Cost of Bidding Documents (Php)
1	1,000.00
2	500.00
3	500.00

- 5. The Central Mindanao University will hold on Pre-Bid Conference on March 26, 2021 at 3:00 pm at BAC Office, CMU Musuan, Bukidnon, which shall be open only to all interested parties who have purchased the Bidding Documents
- 6. Bids must be delivered to the address below on or before April 7, 2021 at 3:00 pm. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause.

Bid opening shall be on April 7, 2021 at 3:00 pm at BAC Office, Administration Building, Musuan, Maramag, Bukidnon. Bids will be opened in the presence of the Bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.

- 7. The Central Mindanao University reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.
- 8. For further information, please refer to:
  - All envelopes shall be properly labeled and provided with Ear tags/Index tabs for every document submitted in the Bid documents.
  - 2. Representative shall always present a written authority (SPA) from the licensee/proprietor.
  - 3. All documents submitted shall be in the Standard forms.

JOCELYN P. SANIEL
Head, BAC-Secretariat
E-mail Add. bac@cmu.edu.ph

**ALAN P. DARGANTES** 

BAC Chairperson for Internally and Externally Funded Research

# Section II. Instructions to Bidders

# **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.



## Republic of the Philippines CENTRAL MINDANAO UNIVERSITY University Town, Musuan, Bukidnon

#### **INSTRUCTION TO BIDDERS**

- 1. All bids and eligibility requirements must be submitted to the BAC-Secretariat of Central Mindanao University Bids and Awards Committee (BAC) on or before 3:00 o'clock in the afternoon, Central Mindanao University BAC Office time on the day of the scheduled bidding. Bids submitted after the deadline shall not be accepted by the BAC:
- 2. All bids must be accompanied by a Bid Security in an amount equivalent to a percentage of the Approved Budget for the Contract to be bid (ABC) in an acceptable forms of bonds as follows:

CASH, MANAGER'S CHECK, CASHIER'S CHECK, BANK DRAFT OR BANK GUARANTEE - 2%
OF ABC
SURETY BOND - 5%
OF ABC
NOTARIZED BID SECURING DECLARATION

- 3. The prospective bidder should have an experience in undertaking a similar project within the University or any other government agencies and private companies for the last five (5) years with an amount of at least fifty percent (50 %) of the Approved Budget for the Contract to be bid;
- **4.** In case the Net Financial Contracting Capacity (NFCC) is not equal to the ABC prospective bidder must secure a commitment from a License bank to extend to it a credit line if awarded the contract to be bid, or a cash deposit certificate equivalent to at least ten percent (10 %) of the ABC, which is specific to the contract;
- 5. A single-stage, two envelope system of bidding will be adopted by the BAC;
- 6. A prospective bidder should submit his/her bid documents in two (2) separate sealed bid envelopes, with envelope no. 1 duly mark as Eligibility & Technical requirements, envelope no. 2 mark Financial envelope containing the bid proposal. All envelopes must be sealed in an outer envelope which shall be marked with the name of the contract to be bid and the name of the bidder and addressed to the BAC;
- 7. Bid documents submitted must be in **four (4)** copies, with the original mark as **original copy** to facilitate evaluation of the documents by the BAC TWG;
- **8.** Eligibility checking of the prospective bidders shall be done using a none discretionary "pass / fail criteria";

- 9. Withdrawal or Modification of Bids after Bid Opening is NOT allowed; Submission of Waiver after Bid Opening will mean forfeiture of Bid Security and Subject to Administrative Sanction Suspension of one year for 1<sup>st</sup> offense and Suspension of two years for the second offense.
- **10.** All items are subject to inspection and tests prior to acceptance and payment.
- **11.** All representatives shall be authorized by the Owner/ Proprietor through a Special Power of Attorney or a Secretary's Certificate in case of Corporations.
- 12. All clarifications must be in the form of writing.
- **13.** Attach to make part of this Instruction to Bidders are sample standard forms to be included in the bidding documents.

(Sgd.) ALAN P. DARGANTES

BAC Chairperson for Internally and
Externally Funded Research

## 1. Scope of Bid

The Procuring Entity, CENTRAL MINDANAO UNIVERSITY wishes to receive Bids for the LABORATORY EQUIPMENT, with identification number [TF-08].

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "LABORATORY EQUIPMENT") is composed of ONE (1) LOT the details of which are described in Section VII (Technical Specifications).

# 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *GAA 2020* in the amount of *915,000.00*.
- 2.2. The source of funding is:

[If not an early procurement activity, select one and delete others:]

a. NGA, the General Appropriations Act or Special Appropriations.

# 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

# 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

# 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. [Select one, delete other/s]
  - a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
    - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
    - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
    - iii. When the Goods sought to be procured are not available from local suppliers; or
    - iv. When there is a need to prevent situations that defeat competition or restrain trade.
  - b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

[Select one, delete the other/s]

- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: [Select either failure or monopoly of bidding based on market research conducted]

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

# 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

[Select one, delete other/s]

- a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed twenty percent (20%) of the contracted Goods.
- b. Subcontracting is not allowed.
- 7.2. [If Procuring Entity has determined that subcontracting is allowed during the bidding, state:] The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in ITB Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in ITB Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or

workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address {[insert if applicable]} and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

# 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within [state relevant period as provided in paragraph 2 of the **IB**] prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. [Include if Framework Agreement will be used:] Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**
- 12.2. [Include if Framework Agreement will be used:] For Framework Agreement, the following should also apply in addition to Clause 12.1:
  - a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
  - b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price

quoted during mini-competition must not exceed the initial price offer. The price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

# 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:

[Select one, delete the other/s]

- a. Philippine Pesos.
- b. [indicate currency if procurement involves a foreign-denominated bid as allowed by the Procuring Entity, which shall be tradeable or acceptable by the BSP].

# 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until [indicate date]. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. [Include if Framework Agreement will be used:] In the case of Framework Agreement, other than the grounds for forfeiture under the 2016 revised IRR, the bid security may also be forfeited if the successful bidder fails to sign the Framework Agreement, or fails to furnish the performance security or performance securing declaration. Without prejudice on its forfeiture, bid securities shall be returned only after the posting of performance security or performance securing declaration, as the case may be, by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

## 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

<sup>&</sup>lt;sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.
- 16.2. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, the submission of bids shall be for the initial evaluation of their technical and financial eligibility. Thereafter, those declared eligible during the said initial eligibility evaluation and entered into a Framework Agreement with the Procuring Entity shall submit anew their best financial offer at the address and on or before the date and time indicated in the Call for each minicompetition.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

## 19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

[Include the following options if Framework Agreement will be used:]

- a. In the case of single-year Framework Agreement, the Lowest Calculated Bid shall be determined outright after the detailed evaluation;
- b. For multi-year Framework Agreement, the determination of the eligibility and the compliance of bidders with the technical and financial aspects of the projects shall be initially made by the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

[Select one, delete the other/s]

Option 1 – One Project having several items that shall be awarded as one contract.

Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

Option 3 - One Project having several items, which shall be awarded as separate contracts per item.

[Delete Options 2 and 3 if Framework Agreement will be used.]

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### **20.** Post-Qualification

- 20.1. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, {[Include if Framework Agreement will be used:] or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant,}the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS. {[Include if Framework Agreement will be used:] For every mini-competition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.}

# 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

[Include the following clauses if Framework Agreement will be used:]

- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
  - a. Framework Agreement Form;

- b. Bidding Documents;
- c. Call-offs;
- d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
- e. Performance Security or Performance Securing Declaration, as the case may be;
- f. Notice to Execute Framework Agreement; and
- g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

# Section III. Bid Data Sheet

## **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Laboratory Equipment.
	b. completed within 5 years prior to the deadline for the submission and receipt of bids.
7.1	[Specify the portions of Goods to be subcontracted, which shall not be a significant or material component of the Project as determined by the Procuring Entity.]
12	The price of the Goods shall be quoted DDP [state place of destination] or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than [Indicate the amount equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than [Indicate the amount equivalent to five percent (5%) of ABC] if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]

# Section IV. General Conditions of Contract

## **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

# 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

# 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

[Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

# 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. [Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.]

# 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

# 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

# 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

# **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

**Special Conditions of Contract** 

GCC	Special Conditions of Contract				
Clause					
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]				
	Delivery and Documents –				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."				
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."				
	Delivery of the Goods shall be made by the Supplier in accordance with t terms specified in Section VI (Schedule of Requirements).				
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].				
	Incidental Services –				
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements Select appropriate requirements and delete the rest.				
	<ul><li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li><li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li></ul>				
	<ul> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ul>				

- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- f. [Specify additional incidental service requirements, as needed.]

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

*Select appropriate requirements and delete the rest.* 

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. [If partial payment is allowed, state] "The terms of payment shall be as follows: 2.2 4 The inspections and tests that will be conducted are: [Indicate the applicable inspections and tests]

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quant ity	Tot al	Delivered, Weeks/M onths
	Lot 1 = 515,000.00			
CMU-AEC: NE	NITA B. BALDO			
1	Data Logger: Maximum Temperature- +150 (Temperature-NTC) °C, +1370 (Temperature-TC) °C, Battery Type AA, Minimum Operating Temperature -20°C, Dimensions L32mm x W65mm x H154mm, Model p Number Testo 440	1		
2	"Hand held Thermohygrometer: Compact and lightweight at 188 g (6 .6 oz), Backlit dual reading display for humidity and temperature, Low battery indicator, Battery Type AAA, Model Number p 971, Meter Type Handheld, Absolute Maximum Temperature Measurement +60°C, Maximum Humidity Measurement 95%RH, Best Temperature Measurement Accuracy ±0.5 °C, Temperature Measurement Resolution0.1°C, Best Humidity Measurement Accuracy ±2.5 %RH, Minimum Operating Temperature -20°C"	1		
3	"Compound Microscope: B-800 PH Phase Contrast Research Microscope, MADE IN ITALY, X-LED White Illumination High Quality IOS Optical System Ready for Digital Imaging, Eyepieces -Wide Field 10x/22mm (accepts 24mm micrometer) (pair), Head-Trinocular Head with 30° viewing angle (2 positions) Trinocular ERGO head with 5° - 35° viewing angle - with video/photo attachment, Main Body Main body with focus system and X-	2		

		1	T
	LED3 illumination, Nosepiece: Quintuple nosepiece for RMS objectives /Sextuple nosepiece for RMS objectives,Objective Set IOS Plan 4x IOS Plan 10x, 20x, 40x, 100x for Phase Contrast, Standard Mechanical Stage, Condenser: 1.25 N.A. Phase Contrast Condenser, with BF and Darkfield (dry) spot+ M-977 – 45mm Green Filter + M-1004.N – Centering Telescope, 30mm Diameter, Illuminator: OPTIKA X-LED3 illuminator +3.6 Watt LED Luminous flux: 200 lumen Luminous intensity: 900 cd dichroic halogen lamp with 20W, Equivalent to a standard halogen lamp with 50W Equivalent to a dichroic halogen lamp with 20W, Equivalent to a standard halogen lamp with 50W Correlated Color Temperature: 6300K Pure white, no need of blue correction filter."		
4	"Stereo Microscope: Head: 360 degree rotatable 45 degree inclined trinocular, Eyepiece: 30mm super widefield higheyepoint WH10X/20MM and WH20X/10MM, Barlow Lens: 0.5X and 2.0X,Zoom Range: 0.7X-4.5X Diopter Adjustment: +/- 5dp, Interpupillary Distance: 2-3/16"" - 2-15/16""(55-75mm), Working Distance: 8"" (200mm), Illumination: 144-LED compact ring light, Power Input: 110-240V, 50-60HZ, automatic switching tand: 10"" x 7-7/8"" x 10.75"" (254 x 200 x 275mm), Round Plate: 3-3/4"" (95mm) in diameter, Accessories: a pair of eye-guard, Camera Specifications: Sensor: Aptina MT9J003, Sensor Type: CMOS, Sensor Size: 6.44x4.616mm, Pixel Size: 1.67, Resolution: 10.0MP, Frame Rate: 1.9@3584x2748, 8@1792x1374, 27@896x684, Sensitivity: 0.31 V/lux-sec Compatibility: Windows (32/64 bit) XP/Vista/7/8/10, Mac OSX, Linux Software Specifications: OS Requirements: Windows (32/64 bit) XP/Vista/7/8/10, Mac OS 10.8+,	2	

	Linux kernel 3.13+ Hardware		
	Requirements: Intel Core2 2.8GHz or		
	comparable processor, 2GB RAM, USB2.0 port Excellent Five (5) Year		
	Factory Warranty"		
	,		
5	"Analytical Precision Digital	2	
	Weighing Balance: Model Number-FA2204T, FA2204T 220g 0.1mg		
	0.0001g balance, Display Type - touch		
	screen LCD, Interface -rs232/ USB,		
	Power-220V 110V, Platform size-90mm, Capacity: 220g, Certificate:		
	CE, ISO, ROHS, Warranty: 1 Year"		
	•		
6	Electronic Balance (Scale) :Model HD-A837-3, Measuring range	2	
	$0\sim(100g\sim500g)$ , Accuracy 1mg,		
	Outside dimension 320×200×290mm,		
	Power 220V,50Hz, Precision 0.001		
7	Vacuum Sealer: Portable, air tight	2	
	vacuum seal, light indicator, vacuum		
	power = 54w/ seasling : 110 w,		
	diminsion: 450mmx245mmx118mm/ 3.5 kg, maximum bag length; 35cm,		
	voltage: 220v 10, oprtation hours,		
	pressure -0.8 bar, with 1 year warranty,		
	TOTAL		
Lot 2	Lot 2= 725,000.00		
	,		
CARDEC P1: W	Vinson M. Gutierrez		
1	DUCTLESS FUMEHOOD	1	
	Key Feature		
	ü Equipped with Nanocarb™ Filter		
	ü ASHRAE 110-1995 certified		
	ü AutoPurge™ Slots		
	ü ISOCIDE™ Antimicrobial Power coating		
	ü Sentinel <sup>TM</sup> Silver Microprocessor		
	controller		

Dimensions	
ü 4ft/1.2m	
ü External dimensions (W x D x H): 1340 x 736 x 1455 mm	
Construction	
The hood's main body shall be constructed from electro-galvanized steel. Plastic construction is not allowed.	
· The hood shall come with Isocide <sup>TM</sup> antimicrobial coating on all painted surfaces to inhibit bacterial growth.	
· Side viewing shall be made from tempered glass suitable for demonstrations.	
Sliding window sash with counterbalance/support system for safe opening and closing of the sash shall be provided. Sash must be able to close fully and must have an angled sloped front to minimize glares and reflections.	
· Worktop is 1.5 mm (0.06") 16 gauge stainless steel, type 304 with 4B finish.	
The hood shall be equipped with a filter ID window to allow the user to easily identify the type of filter used.	
The rear wall of the hood shall come with Auto-Purge <sup>TM</sup> slots to prevent accumulations of fumes in the work zone for improved containment and operator protection.	
Filters must utilize efficient perimeter clamping to ensure no leakages and to allow for easy and quick filter change procedure.	

TD1 C 1 1 1 1 1		
The fume hood shall work on		
220-240 V AC, Hz, 1-phase power		
supply.		
Performance		
remormance		
· The hood's main filter shall		
utilize Nanocarb <sup>TM</sup> activated carbon		
for maximum filter efficiency,		
retention capacity and operator		
protection.		
1		
· Total carbon weight of the main		
filter must be 27.8 kg.		
· Pre-filter shall be EU3 rated and		
made from disposable, non washable		
polyester fiber with 85% arrestance		
and built-inside the carbon filter.		
Inflorence legiter shall be set at 0.4		
Inflow velocity shall be set at 0.4		
m/s or 80fpm to ensure maximum		
containment and reduced turbulence at		
the front opening of the hood.		
· Light intensity on the work		
surface must be > 1000 lux.		
surface must be > 1000 fax.		
Controller		
· Sentinel <sup>TM</sup> Silver		
Microprocessor based control system		
that supervises operation of all hood		
functions. · Control panel is		
sloped downwards to provide better		
view.		
Touched data antimy buttons		
Touchpad data entry buttons		
permit control settings and hierarchical		
menus.		
· Audible and visual alarms for		
low airflow and/or unsafe sash		
positions.		
F		
· An administrator controlled PIN		
(Personal Identification Number) can		
be set to restrict access to ON-OFF		
operations of the fan.		

	Accessories		
	· Support stand with caster wheels fully constructed from stainless steel grade 304.		
	Optional electrical socket outlet with splash proof cover shall be made available.		
	· Unit must have provisions for air, gas and water fixtures.		
	· Unit must have a Polypropylene Drip-cup and Swan Neck Faucet.		
	Inclusive		
	· Installation from NSF/ISO certified engineer.		
	· At least a warranty of 2 years for services and 18 months on parts		
Lot 3			
CARDEC P2: Jo	ose M. Obedencio Jr.		
CARDEC P2: Id	Laboratory Emergency Shower with Eye Wash Specifications: Combination Shower with eyewash With dual aerated spray outlets Flip tod dust covers and bowl Galvanized steel stanchion with an impeller action deluge showerhead, activated by a high visibility pull rod. Powder coated combination emergency shower and eyewash Pull rod activated stay open shower paddle handle activated eyewash Inclusion: Installation Warranty: At least 6 months to 1 year warranty	2	
CARDEC P2: Jose M. Obedencio Jr.			
		1	

	- Ct-1-11't t		
	• Stability to response ratio		
	setting		
	• Multi-weight		
	units/models/applications		
	• Overload protection		
	mechanism		
	• RS232 direct interface to		
	computer		
	Specifications:		
	• Capacity: 220 grams		
	• Readability: 0.0001 gram		
	Repeatability (standard)		
	deviation): $\leq 0.0001$ gram		
	,		
	• Linearity: $\pm 0.0002$ gram		
	• Pan size approx: 91		
	diameter nm		
	• Power requirement: 100-		
	240V		
	<ul> <li>Automatic calibration</li> </ul>		
	<ul> <li>Standard three-door glass</li> </ul>		
	wind-break housing		
	Warranty		
	Two years warranty on		
	services, Eighteen months on parts.		
	Including Preventive Maintenance and		
	Calibration of the instrument.		
	_		
	Operation Qualification must be done.		
	Training		
	On-site training at CMU to be		
	handled by dedicated Application		
	Chemist		
Lot 4			
Flora: Maria Me	lanie M. Guiang		
	_		
1	Weather Station	1	
	Components		
	Parts & Details:		
	Data logger - Meteorological data		
	collection, display, storage and		
	communications		
	• Sensors & cable - Wind speed		
	sensor, wind direction sensor,		
	atmospheric temperature, atmospheric		
	humidity, atmospheric pressure,		
	rainfall, solar radiation, UV, radiation		

sensor, PM2.5/10 sensor soil temperature, soil moisture, etc. (Optional, according to user's requirements)

- Meteorological monitoring software Use to real-time display, analysis and storage data on the PC
- Multi-plate radiation shield Used to install the atmospheric temperature, atmospheric humidity and atmospheric sensors
- Tripod & accessories Height: 0.5m, 2.5m, 3.5m type; other height is optional
- RS232 cable 1.5m
- USB to RS232 converter Used to connect PC without RS232 serial port
- Protective box Used to install data logger, solar charge controller and battery, stainless steel or steel with coating
- U disk Used for data storage
- GPRS module Used for wireless data transmission, need to match with the local mobile communication network
- Wifi module Used for wireless data transmission, need for wireless networking
- Ethernet module Used for wireless data transmission, need for cable network
- LED screen Size and displaycontent can be customized
- Solar power supply system Include photovoltaic panels (30W), solar charge controller, 12V-10AH lithium battery (Can't be transported by air. Suggest users to buy them in locals)

	• Lightning protection device - Containing the lightning rod, connecting wires and grounding angle steel		
Lot 5	lot $5 = 200,000.00$		
	(Q.Curayag)		
1	LABORATORY CANOPY HOOD  Stainless Steel (WXDXH) - 48"x30"x18"  Outlet diameter -8 inches Halogen Lights Exhaust Blowers switch 220V Fire resistant and corrosion resistant complete consumables	1	

# Section VII. Technical Specifications

# **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# **Technical Specifications**

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	Lot 1 = 515,000.00	
CMU-	AEC: NENITA B. BALDO	
1	Data Logger: Maximum Temperature-+150 (Temperature-NTC) °C, +1370 (Temperature-TC) °C, Battery Type AA, Minimum Operating Temperature -20°C, Dimensions L32mm x W65mm x H154mm, Model p Number Testo 440	
2	"Hand held Thermohygrometer: Compact and lightweight at 188 g (6 .6 oz),Backlit dual reading display for humidity and	

temperature, Low battery indicator, Battery Type AAA, Model Number p 971, Meter Type Handheld, Absolute Maximum Temperature Measurement +60°C, Maximum Humidity Measurement 95%RH. Best Temperature Measurement Accuracy ±0.5 °C, Temperature Measurement Resolution 0.1°C. Best Humidity Measurement Accuracy ±2.5 %RH, Minimum Operating Temperature -20°C"

3 "Compound Microscope: B-800 PH Phase Contrast Research Microscope, White Illumination High Quality IOS Optical System Ready for Digital Imaging, Eyepieces -Wide Field 10x/22mm (accepts 24mm micrometer) (pair), Head-Trinocular Head with 30° viewing angle positions) Trinocular ERGO head with  $5^{\circ} - 35^{\circ}$  viewing angle – video/photo attachment. Main Body Main body with focus system and X-LED3 illumination, Nosepiece: Quintuple nosepiece for RMS objectives /Sextuple nosepiece for **RMS** objectives, Objective Set IOS Plan 4x IOS Plan 10x, 20x, 40x, 100x for Phase Contrast, Standard Mechanical Stage, Condenser: 1.25 N.A. Phase Contrast with BF Condenser. Darkfield (dry) spot+ M-977 -45mm Green Filter + M-1004.N -Centering Telescope, 30mm Diameter, Illuminator illuminator Watt LED +3.6Luminous 200 lumen flux: intensity: 900 Luminous dichroic halogen lamp with 20W, Equivalent to a standard halogen lamp with 50W Equivalent to a dichroic halogen lamp with 20W, Equivalent to a standard halogen lamp with 50W Correlated Color

	Temperature: 6300K Pure white, no need of blue correction filter."	
4	"Stereo Microscope: Head: 360 degree rotatable 45 degree inclined trinocular, Eyepiece: 30mm super widefield higheyepoint WH10X/20MM and WH20X/10MM, Barlow Lens: 0.5X and 2.0X,Zoom Range: 0.7X-4.5X Diopter Adjustment: +/- 5dp, Interpupillary Distance: 2-3/16"" - 2-15/16""(55-75mm), Working Distance: 8"" (200mm), Illumination: 144-LED compact ring light, Power Input: 110-240V, 50-60HZ, automatic switching tand: 10"" x 7-7/8"" x 10.75"" (254 x 200 x 275mm), Round Plate: 3-3/4"" (95mm) in diameter, Accessories: a pair of eye-guard, Camera Specifications: Sensor: Aptina MT9J003, Sensor Type: CMOS, Sensor Size: 6.44x4.616mm, Pixel Size: 1.67, Resolution: 10.0MP, Frame Rate: 1.9@3584x2748, 8@1792x1374, 27@896x684, Sensitivity: 0.31 V/lux-sec Compatibility: Windows (32/64 bit) XP/Vista/7/8/10, Mac OSX, Linux Software Specifications: OS Requirements: Windows (32/64 bit) XP/Vista/7/8/10, Mac OS 10.8+, Linux kernel 3.13+ Hardware Requirements: Intel Core2 2.8GHz or comparable processor, 2GB RAM, USB2.0 port Excellent Five (5) Year Factory Warranty"	
5	"Analytical Precision Digital Weighing Balance:, 220g 0.1mg 0.0001g balance, Display Type - touch screen LCD, Interface -	
	rs232/ USB, Power-220V 110V, Platform size- 90mm, Capacity:	

	220g, Certificate: CE, ISO, ROHS, Warranty: 1 Year"	
6	Electronic Balance (Scale) :, Measuring range 0~(100g~500g), Accuracy 1mg, Outside dimension 320×200×290mm, Power 220V,50Hz, Precision 0.001	
7	Vacuum Sealer: Portable, air tight vacuum seal, light indicator, vacuum power = 54w/ seasling: 110 w, diminsion: 450mmx245mmx118mm/ 3.5 kg, maximum bag length; 35cm, voltage: 220v 10, oprtation hours, pressure -0.8 bar, with 1 year warranty,	
Lot 2	Lot 2= 725,000.00	
CARD	EC P1: Winson M. Gutierrez	
1	DUCTLESS FUMEHOOD	
	Key Feature	
	ü Equipped with Nanocarb™ Filter	
	ü ASHRAE 110-1995 certified	
	ü AutoPurge™ Slots	
	ü ISOCIDE™ Antimicrobial Power coating	
	ü Sentinel <sup>TM</sup> Silver Microprocessor controller	
	Dimensions	
	ü 4ft/1.2m	
	ü External dimensions (W x D x H): 1340 x 736 x 1455 mm	
	Construction	

the hood's main body shad be constructed from electron galvanized steel. Plastic construction is not allowed.	-
The hood shall come wit Isocide <sup>TM</sup> antimicrobial coatin on all painted surfaces to inhib bacterial growth.	
· Side viewing shall be mad from tempered glass suitable for demonstrations.	
Sliding window sash with counterbalance/support system for safe opening and closing of the sash shall be provided. Sash must be able to close fully and must have an angled sloped front the minimize glares and reflections.	
Worktop is 1.5 mm (0.06" 16 gauge stainless steel, type 30 with 4B finish.	
The hood shall be equippe with a filter ID window to allow the user to easily identify the typ of filter used.	7
The rear wall of the hoo shall come with Auto-Purge <sup>TI</sup> slots to prevent accumulations of fumes in the work zone for improved containment an operator protection.	f c
Filters must utilize efficier perimeter clamping to ensure n leakages and to allow for easy an quick filter change procedure.	
The fume hood shall wor on 220-240 V AC, Hz, 1-phas power supply.	
Performance	
· The hood's main filter sha utilize Nanocarb™ activate	

T	
carbon for maximum filter efficiency, retention capacity and operator protection.	
• Total carbon weight of the main filter must be 27.8 kg.	
Pre-filter shall be EU3 rated and made from disposable, non washable polyester fiber with 85% arrestance and built-inside the carbon filter.	
Inflow velocity shall be set at 0.4 m/s or 80fpm to ensure maximum containment and reduced turbulence at the front opening of the hood.	
Light intensity on the work surface must be > 1000 lux.	
Controller	
Sentinel <sup>TM</sup> Silver Microprocessor based control system that supervises operation of all hood functions. Control panel is sloped downwards to provide better view. Touchpad data entry buttons permit control settings and hierarchical menus.	
· Audible and visual alarms for low airflow and/or unsafe sash positions.	
· An administrator controlled PIN (Personal Identification Number) can be set to restrict access to ON-OFF operations of the fan.	
Accessories	
Support stand with caster wheels fully constructed from stainless steel grade 304.	

	<ul> <li>Optional electrical socket outlet with splash proof cover shall be made available.</li> <li>Unit must have provisions for air, gas and water fixtures.</li> <li>Unit must have a Polypropylene Drip-cup and Swan Neck Faucet.</li> <li>Inclusive</li> <li>Installation from NSF/ISO certified engineer.</li> <li>At least a warranty of 2 years for services and 18 months on parts</li> </ul>	
Lot 3		
CARD	EC P2: Jose M. Obedencio Jr.	
1	Laboratory Emergency Shower with Eye Wash Specifications:     Combination Shower with eyewash     With dual aerated spray outlets     Flip tod dust covers and bowl     Galvanized steel stanchion with an impeller action deluge showerhead, activated by a high visibility pull rod.     Powder coated combination emergency shower and eyewash     Pull rod activated stay open shower paddle handle activated eyewash Inclusion: Installation Warranty: At least 6 months to 1 year warranty	

CARI	DEC P2: Jose M. Obedencio Jr.	
1	Analytical Balance	
	Features:	
	• Internal calibration	
	Digital LCD Display	
	• Stability to response ratio setting	
	• Multi-weight units/models/applications	
	Overload protection mechanism	
	• RS232 direct interface to computer	
	Specifications:	
	• Capacity: 220 grams	
	• Readability: 0.0001 gram	
	• Repeatability (standard deviation): $\leq 0.0001$ gram	
	• Linearity: ± 0.0002 gram	
	• Pan size approx: 91 diameter nm	
	• Power requirement: 100-240V	
	Automatic calibration	
	• Standard three-door glass windbreak housing	
	Warranty	
	Two years warranty on services, Eighteen months on parts. Including Preventive Maintenance and Calibration of the instrument. Installation Qualification and Operation	

	1	
	Qualification must be done. Analytical Balance w/AVR	
	Training	
	On-site training at CMU to be handled by dedicated Application Chemist	
	Lot 4= 200,000.00	
Flora:	Maria Melanie M. Guiang	
1	Weather Station Components Parts & Details:  Data logger - Meteorological data collection, display, storage and communications  Sensors & cable - Wind speed sensor, wind direction sensor, atmospheric temperature, atmospheric humidity, atmospheric pressure, rainfall, solar radiation, UV, radiation sensor, PM2.5/10 sensor soil temperature, soil moisture, etc. (Optional, according to user's requirements)  Meteorological monitoring software - Use to real-time display, analysis and storage data on the PC  Multi-plate radiation shield - Used to install the atmospheric temperature, atmospheric temperature, atmospheric sensors  Tripod & accessories - Height: 0.5m, 2.5m, 3.5m type; other height is optional  RS232 cable - 1.5m  USB to RS232 converter - Used to connect PC without RS232 serial port  Protective box - Used to install data logger, solar charge controller and battery, stainless steel or steel with coating  U disk - Used for data storage  GPRS module - Used for wireless data transmission need	
	• GPRS module - Used for wireless data transmission, need	

	to match with the local mobile communication network  • Wifi module - Used for wireless data transmission, need for wireless networking	
	<ul> <li>Ethernet module - Used for wireless data transmission, need for cable network</li> <li>LED screen - Size and displaycontent can be customized</li> <li>Solar power supply system -</li> </ul>	
	Include photovoltaic panels (30W), solar charge controller, 12V-10AH lithium battery (Can't be transported by air. Suggest users to buy them in locals)  • Lightning protection device -	
	Containing the lightning rod, connecting wires and grounding angle steel  lot 5 = 200,000.00	
	(Q.Curayag)	
1	LABORATORY CANOPY HOOD Stainless Steel (WXDXH) - 48"x30"x18" Outlet diameter -8 inches Halogen Lights Exhaust Blowers switch 220V Fire resistant and corrosion resistant complete consumables	
I hereby ce	ertify to comply and deliver all the above	e requirements.
Name of C	ompany/Bidder Signature Over P OfAuthorizedRe	

## **Bid Form**

	Invitation t	Date: o Bid <sup>1</sup> Nº: <u>TF-F</u>	<u>'B-21-0</u>	
To: CENTRAL MINDANAO U Musuan, Maramag, Bukid				
Gentlemen and/or Ladies:				
Having examined the Bi 078, the receipt of which is [supply/deliver/perform] PRO with the said Bidding Docume	s hereby duly ack CUREMENT Of L	nowledged, we,	the undersign	ned, offer t
Lot 1				(
[Bid amoun	t in words and figu	res]		,
or such other sums as may be herewith and made part of this		ordance with the	Schedule of Pr	rices attache
We undertake, if our Bid schedule specified in the Schedule	-	-	ccordance wit	h the deliver
If our Bid is accepted, amounts, and within the times	-	-	•	in the form
We agree to abide by this ITB Clause Error! Reference be accepted at any time before	source not found.	and it shall rema		
Commissions or gratuitie and to contract execution if we			_	ng to this Bi
Name and address of agent	Amount and Currency		on or gratuity	
(if none, state "None"	)			

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

<sup>&</sup>lt;sup>1</sup> If ADB, JICA and WB funded projects, use IFB.

<sup>&</sup>lt;sup>2</sup> Applicable only if the Funding Source is the ADB, JICA or WB.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause **Error! Reference source not found.** of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Name of Project of the Name of the Procuring Entity] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for *Name of Project* of the *Name of the Procuring Entity*].

•	•	and every page of this Bid Form, including or the rejection of our bid.	g the
Dated this	day of	20	

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

[signature]

[in the capacity of]

# Price Schedule

### For Goods Offered From Within the Philippines

Name of Bidder	•	Invitation to Bid11 Numbe	er . Page of	f
----------------	---	---------------------------	--------------	---

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, p	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4
1	Data Logger: Maximum Temperature-+150 (Temperature-NTC) °C, +1370 (Temperature-TC) °C, Battery Type AA, Minimum Operating Temperature - 20°C, Dimensions L32mm x W65mm x H154mm, Model p Number Testo 440		1						
2	"Hand held Thermohygrometer: Compact and lightweight at 188 g (6.6 oz), Backlit dual reading display for humidity and temperature, Low battery indicator, Battery Type AAA, Model Number p 971, Meter Type Handheld, Absolute Maximum Temperature Measurement +60°C, Maximum Humidity Measurement 95%RH, Best Temperature Measurement Accuracy ±0.5 °C, Temperature Measurement Resolution  0.1°C, Best Humidity Measurement Accuracy ±2.5 %RH, Minimum Operating Temperature -20°C"		1						
3	"Compound Microscope: B-800 PH Phase Contrast Research Microscope, MADE IN ITALY, X-LED White Illumination High Quality IOS Optical System Ready for Digital Imaging, Eyepieces -Wide Field 10x/22mm (accepts 24mm micrometer) (pair), Head-Trinocular Head with 30° viewing angle (2		2						

	positions) Trinocular ERGO head with 5° – 35° viewing angle – with				
	video/photo attachment, Main Body				
	Main body with focus system and X-LED3 illumination, Nosepiece : Quintuple				
	nosepiece for RMS objectives /Sextuple nosepiece for RMS objectives,Objective				
	Set IOS Plan 4x IOS Plan 10x, 20x, 40x, 100x for Phase Contrast, Standard				
	Mechanical Stage, Condenser: 1.25 N.A. Phase Contrast Condenser, with BF				
	and Darkfield (dry) spot+ M-977 – 45mm Green Filter + M-1004.N – Centering				
	Telescope, 30mm Diameter, Illuminator : OPTIKA X-LED3 illuminator +3.6				
	Watt LED				
	Luminous flux: 200 lumen				
	Luminous intensity: 900 cd				
	Equivalent to a dichroic halogen lamp with 20W, Equivalent to a standard				
	halogen lamp with 50W				
	Correlated Color Temperature: 6300K				
	Pure white, no need of blue correction filter."				
4	"Stereo Microscope: Head: 360 degree rotatable 45 degree inclined trinocular,	2			
	Eyepiece: 30mm super widefield high-eyepoint WH10X/20MM and				
	WH20X/10MM, Barlow Lens: 0.5X and 2.0X,Zoom Range: 0.7X-4.5X				
	Diopter Adjustment: +/- 5dp, Interpupillary Distance: 2-3/16"" - 2-15/16""(55-				
	75mm), Working Distance: 8"" (200mm), Illumination: 144-LED compact ring				
	light, Power Input: 110-240V, 50-60HZ, automatic switching				
	Stand: 10"" x 7-7/8"" x 10.75"" (254 x 200 x 275mm), Round Plate: 3-3/4""				
	(95mm) in diameter, Accessories: a pair of eye-guard, Camera Specifications:				
	Sensor: Aptina MT9J003, Sensor Type: CMOS, Sensor Size: 6.44x4.616mm,				
	Pixel Size: 1.67, Resolution: 10.0MP, Frame				
	Rate: 1.9@3584x2748, 8@1792x1374, 27@896x684, Sensitivity: 0.31 V/lux-				
	sec				

	Compatibility: Windows (32/64 bit) XP/Vista/7/8/10, Mac OSX, Linux Software Specifications:  OS Requirements: Windows (32/64 bit) XP/Vista/7/8/10, Mac OS 10.8+, Linux kernel 3.13+  Hardware Requirements: Intel Core2 2.8GHz or comparable processor, 2GB RAM, USB2.0 port  Excellent Five (5) Year Factory Warranty"				
5	"Analytical Precision Digital Weighing Balance: Model Number-FA2204T, FA2204T 220g 0.1mg 0.0001g balance, Display Type - touch screen LCD, Interface -rs232/ USB, Power-220V 110V, Platform size- 90mm, Capacity: 220g, Certificate: CE, ISO, ROHS, Warranty: 1 Year"	2			
6	Electronic Balance (Scale): Model HD-A837-3, Measuring range 0~(100g~500g), Accuracy 1mg, Outside dimension 320×200×290mm, Power 220V,50Hz, Precision 0.001	2			
7	Vacuum Sealer: Portable, air tight vacuum seal, light indicator, vacuum power = 54w/ seasling: 110 w, diminsion: 450mmx245mmx118mm/ 3.5 kg, maximum bag length; 35cm, voltage: 220v 10, oprtation hours, pressure -0.8 bar, with 1 year warranty,	2			
	Lot 2				
CARDEC F	P1: Winson M. Gutierrez				
1	DUCTLESS FUMEHOOD  Key Feature  ü Equipped with Nanocarb <sup>TM</sup> Filter  ü ASHRAE 110-1995 certified  ü AutoPurge <sup>TM</sup> Slots  ü ISOCIDE <sup>TM</sup> Antimicrobial Power coating  ü Sentinel <sup>TM</sup> Silver Microprocessor controller	1			

Dimensions				
ü 4ft/1.2m				
ü External dimensions (W x D x H): 1340 x 736 x 1455 mm				
Construction				
· The hood's main body shall be constructed from electro-galvanized steel.				
Plastic construction is not allowed.				
· The hood shall come with Isocide <sup>TM</sup> antimicrobial coating on all painted				
surfaces to inhibit bacterial growth.				
· Side viewing shall be made from tempered glass suitable for				
demonstrations.				
· Sliding window sash with counterbalance/support system for safe opening				
and closing of the sash shall be provided. Sash must be able to close fully and				
must have an angled sloped front to minimize glares and reflections.				
Worktop is 1.5 mm (0.06") 16 gauge stainless steel, type 304 with 4B				
finish.				
· The hood shall be equipped with a filter ID window to allow the user to				
easily identify the type of filter used.				
· The rear wall of the hood shall come with Auto-Purge <sup>TM</sup> slots to prevent				
accumulations of fumes in the work zone for improved containment and operator				
protection.				
· Filters must utilize efficient perimeter clamping to ensure no leakages and				
to allow for easy and quick filter change procedure.				
• The fume hood shall work on 220-240 V AC, Hz, 1-phase power supply.				
Performance				
· The hood's main filter shall utilize Nanocarb™ activated carbon for				
maximum filter efficiency, retention capacity and operator protection.				
· Total carbon weight of the main filter must be 27.8 kg.				
· Pre-filter shall be EU3 rated and made from disposable, non washable				
polyester fiber with 85% arrestance and built-inside the carbon filter.				
· Inflow velocity shall be set at 0.4 m/s or 80fpm to ensure maximum				
containment and reduced turbulence at the front opening of the hood.				
· Light intensity on the work surface must be > 1000 lux.				
Controller				
• Sentinel <sup>TM</sup> Silver Microprocessor based control system that supervises				
operation of all hood functions.				
· Control panel is sloped downwards to provide better view.				

		1		1	1
· Touchpad data entry buttons permit control settings and hierarchical					
menus.					
· Audible and visual alarms for low airflow and/or unsafe sash positions.					
· An administrator controlled PIN (Personal Identification Number) can be					
set to restrict access to ON-OFF operations of the fan.					
Accessories					
· Support stand with caster wheels fully constructed from stainless steel					
grade 304.					
· Optional electrical socket outlet with splash proof cover shall be made					
available.					
· Unit must have provisions for air, gas and water fixtures.					
· Unit must have a Polypropylene Drip-cup and Swan Neck Faucet.					
Inclusive					
· Installation from NSF/ISO certified engineer.					
· At least a warranty of 2 years for services and 18 months on parts					
Lot 3					
CARDEC P2: Jose M. Obedencio Jr.					
1 Laboratory Emergency Shower with Eye Wash	2				
Specifications:					
· Combination Shower with eyewash					
· With dual aerated spray outlets					
· Flip tod dust covers and bowl					
· Galvanized steel stanchion with an impeller action deluge showerhead,					
activated by a high visibility pull rod.					
· Powder coated combination emergency shower and eyewash					
· Pull rod activated stay open shower paddle handle activated eyewash					
Inclusion:					
Installation					
Warranty:					
At least 6 months to 1 year warranty					
CARDEC P2: Jose M. Obedencio Jr.					
				1	1
Analytical Balance	1				
Analytical Balance Features:	1				

		1	I	1	1	
	Digital LCD Display					
	Stability to response ratio setting					
	Multi-weight units/models/applications					
	Overload protection mechanism					
	RS232 direct interface to computer					
	Specifications:					
	• Capacity: 220 grams					
	• Readability: 0.0001 gram					
	<ul> <li>Repeatability (standard deviation): ≤ 0.0001 gram</li> </ul>					
	• Linearity: ± 0.0002 gram					
	Pan size approx: 91 diameter nm					
	• Power requirement: 100-240V					
	Automatic calibration					
	Standard three-door glass wind-break housing					
	Warranty					
	Two years warranty on services, Eighteen months on parts. Including Preventive					
	Maintenance and Calibration of the instrument. Installation Qualification and					
	Operation Qualification must be done.					
	Training					
	On-site training at CMU to be handled by dedicated Application Chemist					
Lot 4	Lot 4= 200,000.00					
	Weather Station	1				
	Components					
	Parts & Details:					
	Data logger - Meteorological data collection, display, storage and					
	communications					
	Sensors & cable - Wind speed sensor, wind direction sensor, atmospheric					
	temperature, atmospheric humidity, atmospheric pressure, rainfall, solar					
	radiation, UV, radiation sensor, PM2.5/10 sensor soil temperature, soil moisture,					
	etc. (Optional, according to user's requirements)					
	Meteorological monitoring software - Use to real-time display, analysis and					
	storage data on the PC					
	Multi-plate radiation shield - Used to install the atmospheric temperature,					
	atmospheric humidity and atmospheric sensors					
	• Tripod & accessories - Height: 0.5m, 2.5m, 3.5m type; other height is optional					
	• RS232 cable - 1.5m					

			•	•	•	
	• USB to RS232 converter - Used to connect PC without RS232 serial port					
	• Protective box - Used to install data logger, solar charge controller and battery,					
	stainless steel or steel with coating					
	• U disk - Used for data storage					
	• GPRS module - Used for wireless data transmission, need to match with the					
	local mobile communication network					
	Wifi module - Used for wireless data transmission, need for wireless					
	networking					
	• Ethernet module - Used for wireless data transmission, need for cable network					
	LED screen - Size and displaycontent can be customized					
	Solar power supply system - Include photovoltaic panels (30W), solar charge					
	controller, 12V-10AH lithium battery (Can't be transported by air. Suggest users					
	to buy them in locals)					
	Lightning protection device - Containing the lightning rod, connecting wires					
T ~	and grounding angle steel					
Lot 5	(Q.Curayag)					
	LABORATORY CANOPY HOOD	1				
	Stainless Steel (WXDXH) -48"x30"x18"					
	Outlet diameter -8 inches					
	Halogen Lights					
	Exhaust Blowers switch 220V					
	Fire resistant and corrosion resistant					
	complete consumables					

 _				

 _				

 _				

I hereb	by certify to comply and deliver all the above req	uiremer	its.					
Name	of Company/Bidder Sig	nature (	Over Pri	nted Nan	ne	——————————————————————————————————————		

### **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES )		

KEPUBLIC OF	THE PHILI	PPINES)	)
CITY/MUNICIP	ALITY OF _	)	S.S

#### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or

the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

	government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
IN	WITNESS WHEREOF, I have hereunto set my hand this day of, 20 at, Philippines.
	[Insert NAME OF BIDDER OR ITS AUTHORIZED
	REPRESENTATIVE]
	[Insert signatory's legal capacity]

[Jurat]

Affiant

[Format shall be based on the latest Rules on Notarial Practice]

### **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)		
,	ES)	REPUBLIC OF THE PHILIPPINES)
70.0.	) S.S.	CITY OF

# BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request:
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

### Statement of Single Largest Completed Similar Contract

This is to certify that [name of company] has the following single largest completed similar contract within the period of five (5) years from the date of the bid opening:

	•				-		
Name of	Date of the	Kind of	End User's	Amount of	End-User's		Bidder is
Contract	Contract	Goods Sold	Name and	Contract	Acceptance	A)	
			Address		(indicate the	B)	Supplier/Cont
					date of		ractor
					completion or	C)	Distributor
					the date of		
					official receipt)	ļ	

Name and Signature of Authorized	Date
Representative	

a) Cut-off date as of:

Inclusions:

Within the period of five (5) years reckoned from the date of the opening of bids.

- b) In the column for "End-User's Acceptance", indicate the date of completion or the date of Official Receipt.
- c) Proof of single largest completed similar contract must be submitted such as:

- (1) Certificate of Satisfactory Completion or Certificate of Acceptance from the clients; or Official Receipt; and
- (2) Contract Agreement; or Purchase Order; or Job Order.

#### Statement of Ongoing and Awarded But Not Yet Started Contracts

This is to certify that [name of company] has the following ongoing and awarded but not yet started contracts for the period December CY 2017- December CY 2020:

:

	Name of Contract	Date of the Contract	Kind of Service	Name and	Amount of Contract	Value of Outstanding Contracts	Bidder is A) Manufacturer B)Supplier/Contr
				Address			act or C) Distributor
ļ							
Ļ							
-							
ŀ							
-							
-							
-							
ŀ							
ŀ							
ŀ							
ŀ							
-							
ļ							

Name and Signature of Authorized

Date

Representative

#### Inclusions:

- a.) State all ongoing contracts including those awarded but not yet started (government and private contracts which may be similar or not similar to the project called for bidding) within the period of five years from the opening of bids
- b.) If there is no ongoing contract including awarded but not yet started as of the aforementioned period, state <u>NONE</u>.
- c.) The total amount of the ongoing and awarded but not yet started contracts should be consistent with those used in the Net Financial Contracting Capacity (NFCC,
- d.) Submit the following proofs:
  - 1. Notice of Award and Notice to Proceed; or
  - 2. Purchase Order or Contract Agreement or Job Order

# Section VIII. Checklist of Technical and Financial Documents

# **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# **Checklist of Technical and Financial Documents**

## I. TECHNICAL COMPONENT ENVELOPE

### Class "A" Documents

Leg	gal Do	cuments
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	or Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and
	(c)	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and
	(d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
Tec	chnica	l Documents
	(e)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; <b>and</b>
	(f)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; <b>and</b>
	(g)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  or Original copy of Notarized Bid Securing Declaration; and
	(h)	Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and
	(i)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
<u>Fin</u>	ancia	l Documents
	(j)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; <b>and</b>

		(k)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
			or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
			Class "B" Documents
		(1)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
			or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
II	FIN	ANC	IAL COMPONENT ENVELOPE
		(m)	Original of duly signed and accomplished Financial Bid Form; and
		(n)	Original of duly signed and accomplished Price Schedule(s).
	Other documentary requirements under RA No. 9184 (as applicable)		
		(o)	[For foreign bidders claiming by reason of their country's extension of
			reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
		(p)	Certification from the DTI if the Bidder claims preference as a Domestic
			Bidder or Domestic Entity.

