

Central Mindanao University BIDS AND AWARDS COMMITTEE

Musuan, Bukidnon

NOTICE OF AWARD

October 7, 2019

The Manager
MAGNAPHIL SYSTEM SALES
Door 227 Bonair Bldg. Osmeña St.
Brgy.34, Cagayan de Oro City

Dear Sir:

This is to inform you that your bid proposal for the PROCUREMENT OF SECURITY AND SURVEILLANCE SYSTEM which shall be funded under *General Fund* after having been post-qualified and declared to have obtained the Lowest Calculated Responsive Bid, has been recommended for award by the Bids and Awards Committee (BAC) of Central Mindanao University by virtue of *BAC Resolution No.GF-PB-19-007*, and the same has been approved by the Central Mindanao University thru the undersigned at the amount of *Five Million Seven Hundred Seventy Seven Thousand Pesos Only (Php5*,777,000.00). You are hereby requested to manifest your acceptance of this Notice of Award.

Relative thereto, and in accordance with the provisions of the documents and Revised R.A. No. 9184, otherwise known as the Government Procurement Reform Act and its Implementing Rules and Regulations, you are hereby instructed to submit the following documents with ten (10) calendar days from the date of your receipt of this Notice of Award to within:

A. PERFORMANCE SECURITY

This is to be posted in favor of the Central Mindanao University, in the form of cash, manager's check, cashier's check, bank draft/guarantee confirmed by local bank, irrevocable letter of credit issued by a reputable bank, surety bond callable upon demand, issued by the Government Service Insurance System or any reputable surety or insurance company duly accredited by the Office the Insurance Commissioners, or a combination thereof IN ACCORDANCE with the following schedule:

FORM OF PERFORMANCE SECURITY	AMOUNT OF PERFORMANCE SECURITY (EQUAL TO PERCENTAGE OF THE TOTAL CONTRACT PRICE)
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Thirty percent (30%)
Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Within the same period of ten (10) days as indicated above, you are directed to enter into and execute the Goods Contract with the University.

This Performance Security shall be forfeited in favor to Central Mindanao University in the event of default on your part in the performance of any of your obligations under the Contract.

Finally, it must be noted that you shall not commence the work nor initiate the procurement of materials for the project prior to your receipt of the Notice to Proceed.

ίζery truly yours,

ESUS ANTONIO G. DERIJE

President

Received, Acknowledged and Accepted:

Name:

Signature:

Date:

Republic of the Philippines CENTRAL MINDANAO UNIVERSITY

University Town, 8710 Musuan, Bukidnon E-mail Add. <u>bac@cmu.edu.ph</u>; Website: http://www.cmu.edu.ph

OFFICE OF THE BIDS AND AWARDS COMMITTEE

CONTRACT OF AGREEMENT

REF. NO. GF-PB-19-07

THIS AGREEMENT made this _____day of <u>October</u>, <u>2019</u> between CENTRAL MINDANAO UNIVERSITY of the Philippines (thereinafter called "the Entity") of the one part and **MAGNAPHIL**SYSTEM SALES at Door 227 Bonair Bldg. Osmeña St.Brgy.34, Cagayan de Oro City (hereinafter called "the Supplier") of the other part:

Whereas, the Entity invited Bids for certain goods and ancillary services, viz., the PROCUREMENT OF SECURITY AND SURVEILLANCE SYSTEM and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *Five Million Seven Hundred Seventy Seven Thousand Pesos Only (Php5,777,000.00)* with the items listed below:

ITEM	UNIT	QTY	DESCRIPTION	OFFER	UNIT PRICE	TOTAL AMOUNT
Securi	Security & Surveillance System			A CARAGAY	*** , a \ \	
1	1	lot	CCTV Rack Server, 2 U Rack, Intel Xeon processor E3-1200 v5, Memory Up to	Panasonic Video Insight VMS	1,170,000.00	1,170,000.00
	. '		64GB, Up to 12 x 8TB HDD, (4UDIMM			
77.4	7 10 k		slots up to 213 MT/s DDR4 DIMMS,			
100	. 1		RAID 5, Windows server OS, 3 year			
	ALL C		Hardware warranty. Can support up to	A TOM		
			400+ IP Cameras per server, H.265,4K,			
	- Ser	en e	360 deg dewarping, onvif, multicast,		N. 34 W.	as "
9	100		dual ream, multi-layered map, alarm			
			management, video wall,			P
[P			LPR,DAS/NAS/SAN Support, edge			v.
			recording, auto failover, access control			
		Product of	and mac client. Video Management			
	Age and	11 413 119	System included		and the second	
2	1	unit	Vandal Proof Outdoor Dome Network	Panasonic WV-X4571L	95,000.00	95,000.00
			9MP 360 deg. Camera, IR LED,		,	
	*** 1 ***		irradiation Distance = 10m, High		a tradition and the second	
		4	resolution, and built-in Video Analytics		t sandiffice	
3	1	unit	Weatherproof PTZ Camera 3 MP, 1980	Panasonic WV-X6531N	150,000.00	150,000.00
	·	la la	x 1080 @60fps, 40X optical zoom,		energen, S.	
			intelligent zoom stabilization, iA. Clear	A Section of Landson		
			sight coating, Extreme superdynamic	a State of the second		
			144dB, Color night vision (.001 to .015	\$44400000 4		
			lx), 8W .0004lx, IP66 IK 10 Certified,	A STATE OF THE STA		
			wide temperature operating range (-			
			50C to +60C), durable pan-tilt gear			
			mechanism, Video motion detection up			
			to areas, H.264/265, Dynamic range			
4	2	it	144dB, vehicle incident detection	Panasonic WV-S1550L	60,000,00	60 000 00
4	4	unit	Network Camera 5MP @ 30fps, IA	Patiasonic WV-31330L	68,000.00	68,000.00
			H.265. Intelligent Auto iA,			
			superdynamic 128MB, Color night view (0.0044 to 0.07 lx), H.265 Smart Coding,			
			BW 0 lx, FIPS 140-2 Level 1 compliant,			,
			IR LED Max irradiation distance = 40]	
			meters, Privacy zone up to 8 zones,			
			focal length 2.9 - 9 mm, simultaneous			
			users up to 14, IP 66 and IK10 certified.			
			Fog compensation, Effective pixels = 5.1		and the same of th	
			Megapixels, maximum gain 0 to 11,		Ì	
			audio input and output.			
			what our norther			

10	12		O DODT COLLEGE OF A	ALLNET ALL8808PoE 8	4.000.00	
16	3	unit	8-PORT Gigabit PoE Switch	Port Gigabit PoE Switch	14,000.00	42,000.00
17	1	lot	RJ-45	Panduit RJ-45 Conncetors	5,000.00	5,000.00
18	27	unit	ETH-SP Surge Protector	Ubiquity ETH-SP Surge Protector	9,900.00	267,300.00
19	8	unit	Surge Protector, 240V, 60Hz	Monark Surge Protektor,	7,500.00	60,000.00
20	23	unit	Outdoor Bracket for fixed box type CCTV cameras	Outdoor Bracket for fixed box type CCTV Cameras	2,000.00	46,000.00
21	1	unit	Outdoor bracket for multisensor CCTV Camera	Outdoor bracket for multisensor CCTV	4,200.00	4,200.00
22	3	unit	Outdoor bracket for CCTV PTZ cameras	Outdoor bracket for CCTV PTZ cameras	3,500.00	10,500.00
23	9	unit	Outdoor Pole Mounted Cabinet, 450mm	Outdoor Pole Mounted Cabinet,450mm	20,000.00	180,000.00
24	2	unit	Indoor Data Cabinet, 24"	Tuffrack Indoor Data Cabinet,450mm	15,000.00	30,000.00
25	10	unit	Voltmatic Automatic Voltage Regulator, 500 watts	Voltmatic Automatic Voltage regulator,500 watts	3,900.00	39,000.00
26	4	unit	Camera Posts, 16 FT	Camera Posts, 16 FT	9,700.00	38,800.00
27	1	unit	65"LED HD TV Monitor w/ monitor bracket	LG 65UM7300PPA 65" LED TV/Monitor	58,000.00	58,000.00
28	4	unit	32"LED HD TV Monitors w/ monitor bracket	Samsung UA32N4003 32"	14,800.00	59,200.00
29	5	pcs	HDMI Cable 5m	HDMI High Speed HDMI Cable	1,850.00	9,250.00
30	3	unit	DESKTOP Computer Intel Pentium Core i7-7700 3.6GHZ, 16GB DDR4 2400, HDD -1TB, With GTX1060-DC206GB STRIX	DESKTOP Computer Intel Pentium Core i7-7700 3.6GHZ, 16GB DDR4	79,150.00	79,150.00
			Graphics Card with 2/3 monitor ports. GT710 2GB, Windows 10 Pro.	2400, HDD - 1TB, With GTX1060-DC206GB STRIX Graphics Card with 2/3 monitor ports. GT710		
31	1	lot	Supply and installation of CCVE cabling system and peripherals. Labor and	2GB, Windows 10 Pro. Supply and Installation of CCVE cabling system and peripherals. Labor and	897,000.00	897,000.00
/4_	139	20 m	materials.	materials		y ⁴
			Other Requirements			×.
			All equipment are guaranteed for a period of two (2) years from date of acceptance against factory defects and			
	\$ 1.00 kg		workmanship.			
			The winning contractor shall provide free hands-on training to the end users			
		430.	and administrator, to derive the			
			maximum use and benefits of the security and surveillance system.		According to	
	3.	tr _{ess}	On call support shall be available 8		Anterior State of the Control of the	
			hours a day, 6 days a week. A two (2) hour response from time of the call		Attenue	
			(through telephone call) shall be	and the second		
			provided. On site support must have a	the distribution		
			response time of not more than 6 hours			
			from the time of the call in cases			
			wherein the phone support could not solve the problem.			
			On any repair, testing shall be done on-			····
			site to know the extent of the problem.			
	E .	j	All components beyond repair shall be			
			An components beyond repair shall be			
			replaced at no cost during the			
			i e e e e e e e e e e e e e e e e e e e			
			replaced at no cost during the			
			replaced at no cost during the effectivity and conditions of the warranty. Replacement parts should be available for the Servers, cameras and other equipment			
			replaced at no cost during the effectivity and conditions of the warranty. Replacement parts should be available for the Servers, cameras and other equipment within a day after testing and diagnosis			
			replaced at no cost during the effectivity and conditions of the warranty. Replacement parts should be available for the Servers, cameras and other equipment within a day after testing and diagnosis for temporary replacement of the			
			replaced at no cost during the effectivity and conditions of the warranty. Replacement parts should be available for the Servers, cameras and other equipment within a day after testing and diagnosis for temporary replacement of the defective unit.			
			replaced at no cost during the effectivity and conditions of the warranty. Replacement parts should be available for the Servers, cameras and other equipment within a day after testing and diagnosis for temporary replacement of the defective unit. To attest to the conformity of the			
			replaced at no cost during the effectivity and conditions of the warranty. Replacement parts should be available for the Servers, cameras and other equipment within a day after testing and diagnosis for temporary replacement of the defective unit.			

5	23	unit	HD Box Network Camera, 2.4 MP,	Panasonic K-EW215L03	9,000.00	207,000.00
			3.6mm, 1920 X 1080P, waterproof			
			Camera Equipped with IR LED. 1/3" 2.4			
			MP MOS sensor, H.265 & MJPEG dual			
			streaming encoding, 25/30FPS @2.4			
			MP 1980 x 1080) & 25/30FPS			
			@1080P(1920 x 1080). Day and night			
			(IR), AWB, AGC, BLC. 30 M IR LED			
			length, 3.6 mm / 6.0 mm / 8.0 Fixed			
			Lens, IP66 rated water and dust			
			resistant. PoE.			
6	98	unit	HD Dome Network Camera, focal length	Panasonic K-EF235L03	9,000.00	882,000.00
1			3.6mm, 2MP (1920 X 1080P),			•
			waterproof Camera Equipped with IR			
			LED. 1/3" 2.4 MP MOS sensor, H.265 &			
			MJPEG dual streaming encoding,			
			25/30FPS @2.4 MP 1980 x 1080) &			
			25/30FPS @1080P(1920 x 1080). Day			
			and night (IR), AWB, AGC, BLC. 30 M IR			
			LED length, 3.6 mm / 6.0 mm / 8.0			
		sality	Fixed Lens, IP66 rated water and dust			
		weng	resistant. PoE.			
7	2	unit	Weatherproof PTZ Camera with IR LED,	Panasonic WV-6430L PTZ	95,000.00	190,000.00
	~\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2MP 1080P, 30x Optical Zoom,	Camera	,	222,200.00
	2		H.265/H.264 & MJPEG triple stream		14	
	100 miles	100	encoding, 50/60fps@1080P, Support			
	4 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		ICR for day time and night time			
	and the second		operation. IR distance up to 150m, IP66			
	and the		rated water and dust resistant. Up to		100 m	
. 44	and the second		300 presets, 5 auto scan, 8 tour, 5			
2.454	The second second	San San San	pattern. Privacy masking up to 24 areas,			
			and tampering detection.			
8	1	unit	Multi-Sensor Camera, 4 X 4K (33MP) iA	Panasonic WV-X8570N	195,000.00	195,000.00
			H.265, 3840 x 2160 15fps, intelligent	4xK Multi-Sensor Camera		
187 A			Auto, Super Dynamic 108dB, Color			
	797	ki di e	night vision (0.008 to 0.12 lx), H.265			
			Smart Coding, Clear Sight Coating,	현실 기계 및		
20 N	100	100	Wide range tilt angle adjustment			ar ^{en}
<i>2</i> 4.	1.1		mechanism.			
9	2	lot	Video Analytics plug-in software for i-	Panasonic WV- SAE200	19,800.00	39,600.00
	_		VMD. functions: the face detection	Video Analytics Plug-in	15,000.00	35,000.00
			function and the i-VMD function (alarm	software		
			functions: intrusion detection/			
			loitering/ direction detection/ scene			
			change/ object detection/ cross line			
	, J		detection, the analysis data control		e e e e e e e e e e e e e e e e e e e	
	PA 1	100	function: people count/heat map, and			
	1 3		the privacy function: MOR (Moving		Action Street	
		la	Object Remover)).		, and published the	
	1 .	∤		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	
10	1	lot		Panasonic W/V-XAF100W/	68 500 00	68 500 00
10	1	lot	Video analytics extension software for	Panasonic WV-XAE100W video Analytics Plug-in	68,500.00	68,500.00
10	1	lot	Video analytics extension software for vehicle incidents. Compatible with	Panasonic WV-XAE100W video Analytics Plug-in software	68,500.00	68,500.00
10	1		Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera.	video Analytics Plug-in software	68,500.00	68,500.00
10	1		Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4	video Analytics Plug-in software	68,500.00	68,500.00
10	1		Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong	video Analytics Plug-in software	68,500.00	68,500.00
10	1		Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles,	video Analytics Plug-in software	68,500.00	68,500.00
10	1		Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 55 -	video Analytics Plug-in software	68,500.00	68,500.00
10	1		Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email	video Analytics Plug-in software	68,500.00	68,500.00
10	1		Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser,	video Analytics Plug-in software	68,500.00	68,500.00
			Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output.	video Analytics Plug-in software		
10	20		Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser,	video Analytics Plug-in software	68,500.00 9,970.00	68,500.00 199,400.00
11	20	unit	Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output. Access Point with MESH capability	video Analytics Plug-in software Ubiquilty Nano StationMS AP	9,970.00	199,400.00
			Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output.	video Analytics Plug-in software		
11	20	unit	Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output. Access Point with MESH capability	video Analytics Plug-in software Ubiquilty Nano StationMS AP Seagate Nighthawk 8TB	9,970.00	199,400.00 175,200.00
11 12	20	unit unit	Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output. Access Point with MESH capability	video Analytics Plug-in software Ubiquilty Nano StationMS AP Seagate Nighthawk 8TB HDD for CCTV	9,970.00 14,600.00	199,400.00
11 12	20	unit unit	Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output. Access Point with MESH capability 8TB HDD for CCTV Gigabit PoE+ Repeater/Amplifier, Single Port PoE, Power over Ethernet, 802.3af,	video Analytics Plug-in software Ubiquilty Nano StationMS AP Seagate Nighthawk 8TB HDD for CCTV TRENNET Gigabit PoE=	9,970.00 14,600.00	199,400.00 175,200.00
11 12	20 12 6	unit unit pcs	Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output. Access Point with MESH capability 8TB HDD for CCTV Gigabit PoE+ Repeater/Amplifier, Single Port PoE, Power over Ethernet, 802.3af, 802.3at, 10/100/1000 Mbps, TPE-E110	video Analytics Plug-in software Ubiquilty Nano StationMS AP Seagate Nighthawk 8TB HDD for CCTV TRENNET Gigabit PoE= Repeater/Amplifier	9,970.00 14,600.00 9,500.00	199,400.00 175,200.00 57,000.00
11 12 13	20	unit unit	Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output. Access Point with MESH capability 8TB HDD for CCTV Gigabit PoE+ Repeater/Amplifier, Single Port PoE, Power over Ethernet, 802.3af,	video Analytics Plug-in software Ubiquilty Nano StationMS AP Seagate Nighthawk 8TB HDD for CCTV TRENNET Gigabit PoE=	9,970.00 14,600.00	199,400.00 175,200.00
11 12 13	20 12 6	unit unit pcs	Video analytics extension software for vehicle incidents. Compatible with Panasonic WV-X6531 PTZ Camera. Camera height 2.5m - 30m, up to 4 traffic lanes per preset position, wrong way driving and stopped vehicles, Detection time of stopped vehicles 5S - 15S, Night mode, Alarm actions: Email notifications, indication on browser, Proprietary alarm protocol output. Access Point with MESH capability 8TB HDD for CCTV Gigabit PoE+ Repeater/Amplifier, Single Port PoE, Power over Ethernet, 802.3af, 802.3at, 10/100/1000 Mbps, TPE-E110	video Analytics Plug-in software Ubiquilty Nano StationMS AP Seagate Nighthawk 8TB HDD for CCTV TRENNET Gigabit PoE= Repeater/Amplifier MIKROTIK Gigabit Switch	9,970.00 14,600.00 9,500.00	199,400.00 175,200.00 57,000.00

- Manufacturer's Certificate for Authorized Service Center.	
- Product brochures on CCTV cameras	
GRAND TOTAL	5,777,000.00

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this agreement, viz,:
 - (a) the Bid Form and the Price Schedule submitted by the Bidder;
 - (b) the Schedule of Requirements;
 - (c) the Technical Specifications;
 - (d) the General Conditions of Contract;
 - (e) the Special Conditions of Contract; and,
 - (f) the Entity's Notification of Award.
- 3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

The Common Seal of CMU, Musuan, Bukidnon was herein affixed in the presence of DR. JESUS ANTONIO G. DERIJE

Signed, sealed, and delivered by MAGNAPHIL SYSTEM SALES in the presence of PHILIP C. CHAN.

Binding Signature of Entity:

JESUS ANTONIO G. DERIVE

President

Witness:

Binding Signature of Supplier

Authorized/Representative

LUZVIMINDA T. SIMBORIO

BAC Chairman

MARIA JAMELLAH CELESTE M. MAGALONA Chief, Accounting Unit

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES) SECONDARY OF THE PHILIPPINES (SECONDARY OF THE PHILIPPINES)

BEFORE ME, a Notary Public for in the above jurisdiction, on this day OFT 0 9 2013 at CAGAVAN DE ORO CITO personally appeared the following, exhibiting to me following described Competent Evidence of Identity (CEI) in accordance with the 20m Rules

personally appeared the following, exhibiting to me following described Competent Evidence of Identity (CEI) in accordance with the 20m Rules on Notarial Practice.

Name Competent Evidence of Identity Date/place Issued

JESUS ANTONIO G. DERIJE

EMMANUEL A. ACERO

Known to me to be the same person who executed the foregoing instrument and who acknowledge to me that the same is their free and voluntary

act and deed.

Page No. 32

Sories of 100

BUENAVENTURA E. SAGRADO

NOTAN PUBLIC

UNIT DESIREMENT ST, 2009 COA-TF-04

PTR-NO. 56384 70 IMP No. 1080099 Dec. 15, 2019 MCCE/C. NO. VI-0000818 Roll 22033 NC 2014-037 TIN 116-100-861, Cell # 0917-3246-770



Republic of the Philimines CENTRAL MINDANAO UNIVERSITY Musuan, Maramag, Bukidnon

NOTICE TO PROCEED

GRAGE JEAN D. FERNANDEZ
Sales Representative
MAGNAPHIL SYSTEM SALES
PhilGEPS Certification # 2007-35211
Door 227 Bonair Bldg. Osmeña St.
Brgy.34, Cagayan de Oro City

Dear Madam/Sir:

The attached Agreement having been approved, notice is hereby given to MAGNAPHIL SYSTEM SALES FOR THE PROCUREMENT OF SECURITY AND SURVEILLANCE SYSTEM, may commence after receipt of this notice but not to exceed thirty (30) calendar days.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions of the Agreement and in accordance with the Implementation Schedule.

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. Keep one copy and return the other to the Bids and Awards Office.

JESUS ANTONIO G. DERIJE
President

Conforme:

PHUP C. CHAN

Printed Name of Representative Over Signature

OCT. 7, 2019