### Republic of the Philippines CENTRAL MINDANAO UNIVERSITY University Town, Musuan, Maramag, Bukidnon E-mail: bac@cmu.edu.ph

**Bids and Awards Committee – Goods and Services** 

# **BIDDING DOCUMENTS**

## FOR

## SUPPLY, DELIVERY AND INSTALLATION OF SMART DIGITAL GATE SYSTEM AND LIBRARY SELF SERVICES (Phase 1)

ITB-57/STF-23 Sixth Edition July 2020

## **Table of Contents**

Glossa	ary of Acronyms, Terms, and Abbreviations	3
Section	n I. Invitation to Bid Error! Bool	kmark not defined.
Section	n II. Instructions to Bidders	10
1.	Scope of Bid	10
2.	Funding Information	10
3.	Bidding Requirements	10
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	11
7.	Subcontracts	11
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	12
10.	Documents comprising the Bid: Eligibility and Technical Compo	onents 12
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	18
21.	Signing of the Contract	18
Section	n III. Bid Data Sheet	20
Section	n IV. General Conditions of Contract	28
1.	Scope of Contract	28
2.	Advance Payment and Terms of Payment	28
3.	Performance Security	29
4.	Inspection and Tests	29
5.	Warranty	29
6.	Liability of the Supplier	30
Section	n V. Special Conditions of Contract	31
Section	n VI. Schedule of Requirements	36
Section	n VII. Technical Specifications	43

## Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP - Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.



### **INVITATION TO BID FOR**

### SMART DIGITAL SECURITY GATE SYSTEM AND LIBRARY SELF SERVICES (Phase 1)

## *ITB-57STF-23*

1. The CENTRAL MINDANAO UNIVERSITY, through the STF 2023 intends to apply the sum of Two Million Pesos Only (2,000,000.00] being the ABC to payments under the contract for Procurement of Smart Digital Security Gate System and Library Self Services (Phase 1)/ ITB No.-57STF-23]. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The CENTRAL MINDANAO UNIVERSITY now invites bids for the above Procurement of Smart Digital Security Gate System and Library Self Services (Phase 1). Delivery of the Goods is required within 45 days upon receipt of notice to proceed. Bidders should have completed, within two (2) years prior from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

2. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 3. Prospective Bidders may obtain further information from *CENTRAL MINDANAO UNIVERSITY* and inspect the Bidding Documents at the address given below during **7:00-11:00 AM and 1:00-5:00 PM**.
- 4. A complete set of Bidding Documents may be acquired by interested Bidders on October 26 to November 20, 2023 from the given address and website(s) below *and upon payment of a non-refundable fee in the amount of Five Thousand Pesos (5,000.00):*

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity. However, the Bidders shall pay the non-refundable fee for the Bidding Documents not later than the submission of their bids.

[NOTE: For lot procurement, the maximum fee for the Bidding Documents for each lot shall be based on its ABC, in accordance with the Guidelines issued by the GPPB; provided that the total fees for the Bidding Documents of all lots shall not exceed the maximum fee prescribed in the Guidelines for the sum of the ABC of all lots.] 5. The *CMU* will hold a Pre-Bid Conference<sup>1</sup> November 7, 2023 @ 3:00 pm at *BAC Conference Office*, *CMU*, *Musuan*, *Maramag*, *Bukidnon* and/or through video conferencing or webcasting, which shall be open to prospective bidders.

Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before November 20, 2023 at 3:00 pm. Late bids shall not be accepted.

- 6. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 7. Bid opening shall be on November 20, 2023 at 3:00 pm at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 8. The *CENTRAL MINDANAO UNIVERSITY* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 9. For further information, please refer to:

IRIS M. DAJAO-OPISO Head, BAC-Secretariat CP# 0917-718-2368 E-mail Add. <u>bac@cmu.edu.ph</u>

10. You may visit the following websites:

For downloading of Bidding Documents: cmu.edu.ph & philgeps.gov.ph

HERMIE P. PAVA BAC Chairperson for Goods and Services

<sup>&</sup>lt;sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.



Republic of the Philippines CENTRAL MINDANAO UNIVERSITY University Town, Musuan, Bukidnon INSTRUCTION TO BIDDERS

- All bids and eligibility requirements must be submitted to the BAC–Secretariat of Central Mindanao University – Bids and Awards Committee (BAC) on or before 3:00 o'clock in the afternoon, Central Mindanao University BAC Office time on the day of the scheduled bidding. Bids submitted after the deadline shall not be accepted by the BAC;
- **2.** All bids must be accompanied by a Bid Security in an amount equivalent to a percentage of the Approved Budget for the Contract to be bid (ABC) in an acceptable form of bonds as follows:

CASH, MANAGER'S CHECK, CASHIER'S CHECK, BANK DRAFT OR BANK GUARANTEE - 2% OF ABC

SURETY BOND OF ABC

- 5%

#### NOTARIZED BID SECURING DECLARATION

- **3.** The prospective bidder should have an experience in undertaking a similar project within the University or any other government agencies and private companies for the last two (2) years with an amount of at least fifty percent (50 %) of the Approved Budget for the Contract to be bid;
- **4.** In case the Net Financial Contracting Capacity (NFCC) is not equal to the ABC prospective bidder must secure a commitment from a License bank to extend to it a credit line if awarded the contract to be bid, or a cash deposit certificate equivalent to at least ten percent (10 %) of the ABC, which is specific to the contract;
- 5. A single-stage, two-envelope system of bidding will be adopted by the BAC;
- 6. A prospective bidder should submit his/her bid documents in two (2) separate sealed bid envelopes, with envelope no. 1 duly marked as Eligibility & Technical requirements, envelope no. 2 marked Financial envelope containing the bid proposal. All envelopes must be sealed in an outer envelope which shall be marked with the name of the contract to be bid and the name of the bidder and addressed to the BAC;
- Bid documents submitted must be in three (3) copies, with the original mark as original copy to facilitate evaluation of the documents by the BAC TWG;
- 8. Eligibility checking of the prospective bidders shall be done using a non discretionary "pass / fail criteria";
- **9.** Withdrawal or Modification of Bids after Bid Opening is NOT allowed; Submission of Waiver after Bid Opening will mean forfeiture of Bid Security and Subject to

Administrative Sanction – Suspension of one year for 1<sup>st</sup> offense and Suspension of two years for the second offense.

- **10.** All items are subject to inspection and tests prior to acceptance and payment.
- **11.** All representatives shall be authorized by the Owner/ Proprietor through a Special Power of Attorney or a Secretary's Certificate in the case of Corporations.
- **12.** All clarifications must be in the form of writing.
- **13.** Attached to make part of this Instruction to Bidders are sample standard forms to be included in the bidding documents.

(Sgd.) HERMIE P. PAVA BAC Chairman, GOODS AND SERVICES

## Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, *CENTRAL MINDANAO UNIVERSITY* wishes to receive Bids for the *[Procurement of Smart Digital Security Gate System and Library Self Services (Phase 1)]*, with identification number *[ITB NO. 57/STF-23]*.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Procurement of Smart Digital Security Gate System and Library Self Services (Phase 1)") is composed of [*Item 1*], the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for [STF2023] in the amount of (2,000,000.00)
- 2.2. The source of funding is:

a. STF

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **ITB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. a. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed twenty percent (20%) of the contracted Goods.

- 7.2. *[If Procuring Entity has determined that subcontracting is allowed during the bidding, state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. *[If subcontracting is allowed during the contract implementation stage, state:]* The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address {*[insert if applicable]* and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *[state relevant period as provided in paragraph 2 of the IB]* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. *[Include if Framework Agreement will be used:]* Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes

of determining eligibility and whether or not such financial proposal is within the ABC.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).
- 12.2. *[Include if Framework Agreement will be used:]* For Framework Agreement, the following should also apply in addition to Clause 12.1:
  - a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
  - b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price quoted during mini-competition must not exceed the initial price offer. The price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or

escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until shall exceed one hundred twenty (120) calendar days from the date of the opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. *[Include if Framework Agreement will be used:] In* the case of Framework Agreement, other than the grounds for forfeiture under the 2016 revised IRR, the bid security may also be forfeited if the successful bidder fails to sign the Framework Agreement, or fails to furnish the performance security or performance securing declaration. Without prejudice on its forfeiture, bid securities shall be returned only after the posting of performance security or performance securing declaration, as the case may be, by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

 $<sup>^2</sup>$  In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.
- 16.2. *[Include if Framework Agreement will be used:] For* multi-year Framework Agreement, the submission of bids shall be for the initial evaluation of their technical and financial eligibility. Thereafter, those declared eligible during the said initial eligibility evaluation and entered into a Framework Agreement with the Procuring Entity shall submit anew their best financial offer at the address and on or before the date and time indicated in the Call for each mini competition.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **18.** Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. *[Include if Framework Agreement will be used:] For* multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

#### 19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

[Include the following options if Framework Agreement will be used:]

- a. In the case of single-year Framework Agreement, the Lowest Calculated Bid shall be determined outright after the detailed evaluation;
- b. For multi-year Framework Agreement, the determination of the eligibility and the compliance of bidders with the technical and financial aspects of the projects shall be initially made by the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

- 20.1. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendable period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, {[Include if Framework Agreement will be used:] or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant,} the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**. {[Include if Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.]

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
  - a. Framework Agreement Form;
  - b. Bidding Documents;
  - c. Call-offs;
  - d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
  - e. Performance Security or Performance Securing Declaration, as the case may be;
  - f. Notice to Execute Framework Agreement; and
  - g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

## Section III. Bid Data Sheet

ITB Clause					
5.3	For this put	rpose, contracts similar to the Proje	ect shall be:		
	-	ocurement of Smart Digital Securvices (Phase 1)].	ity Gate Sy	vstem and	Library Self
		upleted within [2 YEARS] prior to t wipt of bids.	he deadline	for the sub	mission and
7.1		e portions of Goods to be subc or material component of the Proje			
12	-	of the Goods shall be quoted DDP International Commercial Terms (I		e e	-
14.1		curity shall be in the form of a Bid a bound of a Bid amounts:	Securing De	eclaration, o	or any of the
	<i>to</i> casl	amount of not less than <b>40,000.0</b> <i>two percent (2%) of ABC]</i> , nier's/manager's check, bank draft lit; or	if bid	security is	s in cash,
		e amount of not less than <b>100,000.(</b> <i>ive percent (5%) of ABC]</i> if bid sec	-		-
19.3	the group	e Project will be awarded by lot, lis title, items, and the quantity f ling ABC for each lot.]	0 1	01	
	ITEM NO.	DESCRIPTION	UNIT	QTY	UNIT COST
		1 Lot Smart Digital Security Gate System and Library Self Services (Phase 1)	lot	1	2,000,000.00
		1 (One) Unit UHF Security Gate			

	1	
A.) Hardware and Specifications		
1. All in One Design: With built in control box, LED Status, Motion Sensor, RFID Antenna, RFID Reader, Counter Sensor, Audio Status		
2. Two (2) Panels One (1) Lane		
3. Light Diffusion Acrylic Design: Controllable RGB LED Lighting that can lit-up to display hundreds of different colors		
4. Size: 173 cm Height, 36 cm width, 12 cm depth		
5. Operating Frequency: 918- 928 MHz, ISO 18000-6C, EPC class1 Gen 2		
6. RFID Tag Compatibility: UHF 860-960 MHz, ISO 18000-6C, EPC Class 1 Gen 2		
7. Material: PVC and Acrylic		
8. Alarm Indicators:		
a.) Visual: Flashes the color Red at the dual security gate system when Spotting unchecked items taken out of library		
b.) Audio Alarm: A Talking dual gate audio system that commands and gives instructions to user once alarm is triggered		
9. Communication: TCP/ IP or USB		
10. Detection Orientation: Horizontal, Vertical, Diagonal (3D Dimensional)		
11. Detection Range: up to 3 meters		
12. Input Power -: 220 volts		
13. UPS		
B.) Features		
	1. All in One Design: With built in control box, LED Status, Motion Sensor, RFID Antenna, RFID Reader, Counter Sensor, Audio Status2. Two (2) Panels One (1) Lane3. Light Diffusion Acrylic Design: Controllable RGB LED Lighting that can lit-up to display hundreds of different colors4. Size: 173 cm Height, 36 cm width, 12 cm depth5. Operating Frequency: 918- 928 MHz, ISO 18000-6C, EPC class 1 Gen 26. RFID Tag Compatibility: UHF 860-960 MHz, ISO 18000-6C, EPC Class 1 Gen 27. Material: PVC and Acrylic 8. Alarm Indicators:a.) Visual: Flashes the color Red at the dual security gate system when Spotting unchecked items taken out of libraryb.) Audio Alarm: A Talking dual gate audio system that commands and gives instructions to user once alarm is triggered9. Communication: TCP/ IP or USB10. Detection Orientation: Horizontal, Vertical, Diagonal (3D Dimensional)11. Detection Range: up to 3 meters12. Input Power -:220 volts13. UPS	1. All in One Design: With built in control box, LED Status, Motion Sensor, RFID Antenna, RFID Reader, Counter Sensor, Audio Status         2. Two (2) Panels One (1) Lane         3. Light Diffusion Acrylic Design: Controllable RGB LED Lighting that can lit-up to display hundreds of different colors         4. Size: 173 cm Height, 36 cm width, 12 cm depth         5. Operating Frequency: 918-928 MHz, ISO 18000-6C, EPC class1 Gen 2         6. RFID Tag Compatibility: UHF 860-960 MHz, ISO 18000-6C, EPC class 1 Gen 2         7. Material: PVC and Acrylic         8. Alarm Indicators:         a.) Visual: Flashes the color Red at the dual security gate system when Spotting unchecked items taken out of library         b.) Audio Alarm: A Talking dual gate audio system that commands and gives instructions to user once alarm is triggered         9. Communication: TCP/ IP or USB         10. Detection Orientation: Horizontal, Vertical, Diagonal (3D Dimensional)         11. Detection Range: up to 3 meters         12. Input Power -:220 volts         13. UPS

1. Orientation: Insensitive library asset read zone		
2. Multiple library assets processing capability		
3. Long Range Detection: For up to 3 meters		
4. Visual and Audio Theft Preventive Alarms		
5. Movement Directional and Counter Sensors		
6. Controllable RGB LED Lighting		
7. Stand alone operation during blackout		
8. Real time monitoring and report generation		
9. Connectivity with LMS via SIP2 protocol or API		
10. Library assets - Books, Tape, CD/DVD, Video Cassette will not be damaged during passing gate		
11. Integration with CCTV Surveillance System Integration with Flap Gate in the next phase		
2,000 pcs UHF RFID tags		
Specifications:		
Operating Frequency : UHF 918- 928 MHz, ISO 18000- 6C, EPC Class1 Gen2		
Operating Mode : Passive		
Functionality : Read/Write		
Memory : EPC 256 Bits, User Memory 512 Bits, Unique TID 96 Bits, Kill Password 32 Bits		
RFID Tag Compatibility : UHF 860- 960 MHz, ISO 18000-6C, EPC Class1 Gen2		
	<ul> <li>library asset read zone</li> <li>2. Multiple library assets processing capability</li> <li>3. Long Range Detection: For up to 3 meters</li> <li>4. Visual and Audio Theft Preventive Alarms</li> <li>5. Movement Directional and Counter Sensors</li> <li>6. Controllable RGB LED Lighting</li> <li>7. Stand alone operation during blackout</li> <li>8. Real time monitoring and report generation</li> <li>9. Connectivity with LMS via SIP2 protocol or API</li> <li>10. Library assets - Books, Tape, CD/DVD, Video Cassette will not be damaged during passing gate</li> <li>11. Integration with CCTV Surveillance System Integration with Flap Gate in the next phase</li> <li>2,000 pcs UHF RFID tags</li> <li>Specifications:</li> <li>Operating Frequency : UHF 918-928 MHz, ISO 18000- 6C, EPC Class1 Gen2</li> <li>Operating Mode : Passive</li> <li>Functionality : Read/Write</li> <li>Memory : EPC 256 Bits, User Memory 512 Bits, Unique TID 96 Bits, Kill Password 32 Bits</li> <li>RFID Tag Compatibility : UHF 860-960 MHz, ISO 18000-6C, EPC</li> </ul>	library asset read zoneImage: Constant of the section of

 _		
Security Mode : AFI Bits, EAS Bits		
Data Retention : 10 years		
Programming Cycles : 100,000 Cycles		
Label Size : 160x8 mm		
Antenna Size : 157x3.5 mm		
Release Liner Size - 178x8mm		
Inlay Substrate : Special PET		
Antenna Material : Silver		
Conductive Ink : Double Sided Adhesive		
Operating Temperature : 40c to +70c, Storage Temperature -25c to 50c		
Features:		
1. 918-928 MHz Frequency Optimized		
1. 918-928 MHz Frequency Optimized		
2. Read Range Tune and Optimized		
3. Large Memory Banks		
4. EAS and AFI Bits		
5. 10 years Data Retention		
6. 100,000 Programming cycles		
7. Optimized design with tail		
8. Designed for book tagging, library and document management		
1 (One) Unit UHF RFID Staff Station		
All in One Design – LED Status, USB Port, Computer Connect, RFID, Reader Barcode Scanner, Shelve Antenna		

Operating Frequency – UHF 918- 928 MHz, ISO 18000-6C, EPC Class1 Gen2		
RFID Tag Compatibility – UHD 860- 960 MHz, ISO 18000-6C, EPC Class1 Gen2		
Material Casing – PVC and Acrylic		
Security Mode – AFI, EAS		
Communication – TCP / IP or USB		
Functions – Read / Write		
Detection Range - > 30 cm Input Power – 220 volts		
Input Power – 220 volts		
Features:		
1. Manage member and Library assets		
2. Multilingual Graphical user interface specifically English		
3. Orientation: Insensitive library asset read zone		
4. Multiple library assets processing capability		
5. Connect with computer or laptop		
6. Software: Tagging and Read Mode via LMS		
7. Software : Borrow and Return Mode via LMS Connectivity with LMS via SIP2 Protocol or API		
1 (One) Unit Inventory Handheld Reader		
Touchscreen 1.1mm Thickness Tempered Glass/ 10-dot; 1D/ 2D		
Barcode Scanner; Hot Swapping Battery Pistol Style		
Operation System: Android 6.0		

			1
CPU: Quad Core Cortex - A17/1.8 GhZ			
GPU Arm Mali-T764/High Performance 3D Engine			
RAM+ROM 2G +32G			
LCD 5.0 Inches/1280×720/IPS/180deg View Angle			
Size 160mm×82mm×129mm			
Weight 640g Battery Included			
Read Distance > 8m			
Audio Large Speaker Stereo System			
Vibration Button Style 10mm Diameter			
Protocol ISO / IEC 18000-6C 6B EPC Global c1 Gen 2			
Frequency: 918-928 MHz			
UHF Antenna 3dBi.			
Peak Inventory Speed >500 Tags			
Output Power 0-33dBm			
Charge Indicator - Bicolor LED			
WiFi/ Bluetooth /4G			
USBInterfaceMicroUSB/MolexConnection/Operating Life 10,000Cycles			
Card Slots Nano Sim Card slot /TF Card Slot			
Power 6,000 mAh Chargeable Li-polymer Battery			
Buttons Power / Volume			
Features:			
	GhZGPUArmMali-T764/HighPerformance 3D EngineRAM+ROM 2G +32GLCD5.0Inches/1280×720/IPS/180deg ViewAngleSize 160mm×82mm×129mmWeight 640g Battery IncludedRead Distance > 8mAudioLargeSpeakerStereoSystemVibrationButtonDiameterProtocol ISO / IEC 18000-6C 6BEPC Global c1 Gen 2Frequency:918-928 MHzUHF Antenna 3dBi.Peak Inventory Speed >500 TagsOutput Power 0-33dBmCharge Indicator - Bicolor LEDWiFi/ Bluetooth /4GUSBInterfaceMicroUSB/MolexConnection/Operating Life 10,000Card Slots Nano Sim Card slot/TF Card SlotPower 6,000MAh ChargeableLi-polymer BatteryButtons Power / Volume	GhZGPUArmMali-T764/HighPerformance 3D EngineRAM+ROM 2G +32GLCD5.0Inches/1280×720/IPS/180deg ViewAngleSize 160mm×82mm×129mmWeight 640g Battery IncludedRead Distance > 8mAudioLargeSpeakerStereoSystemVibrationButtonDiameterProtocol ISO / IEC 18000-6C 6BEPC Global c1 Gen 2Frequency:918-928 MHzUHF Antenna 3dBi.Peak Inventory Speed >500 TagsOutput Power 0-33dBmCharge Indicator - Bicolor LEDWiFi/ Bluetooth /4GUSBInterfaceWiFi/ Bluetooth /4GUSBUSB/MolexConnection/Operating Life 10,000 CyclesCard Slots Nano Sim Card slot/TF Card SlotPower 6,000 mAh ChargeableLi-polymer BatteryButtons Power / Volume	GhZImage: Constant of the systemGPUArmMali-T764/HighPerformance 3D EngineImage: Constant of the systemRAM+ROM 2G +32GImage: Constant of the systemLCD5.0Inches/1280×720/IPS/180deg ViewAngleSize 160mm×82mm×129mmWeight 640g Battery IncludedRead Distance > 8mAudioLargeAudioLargeSystemVibrationDiameterProtocol ISO / IEC 18000-6C 6BEPC Global c1 Gen 2Frequency:918-928 MHzUHF Antenna 3dBi.Peak Inventory Speed >500 TagsOutput Power 0-33dBmCharge Indicator - Bicolor LEDWiFi/ Bluetooth /4GUSBUSB InterfaceMicroUSB/MolexConnection/Operating Life 10,000 CyclesCard Slots Nano Sim Card slot//TF Card SlotPower 6,000 mAh ChargeableLi-polymer BatteryButtons Power / Volume

PowerfulHardwareConfigurationtoensureapplicationslikeMassiveDataCollection,3DReal-TimeDisplay		
Top class materials like CNCaluminum, PC+Abs body with 1.1 mm thickness tempered glass, excellent heat dissipation plus electromagnetic shielding features		
Industrial grade components plus super long-life cycles		
Ultra-long operating time		
High End UHF RFID Engine - Best performance and excellent multi tag identification ability		
Outstanding industrial design		
Excellent Mechanical Protection – Safe drop height 1.6m with IP64 protection grade		
Book Inventory; Book Search; Book Management function use with UHF RFID System.		
Training Requirement: Intensive training to library staff for the utilization of the system which includes proper techniques in book tagging, inventory, circulation. Operation proper maintenance and troubleshooting of the services and hardware.		
Warranty: One Year warranty on parts and labor after user acceptance, unlimited remote technical support, quarterly maintenance service within warranty period.		
Vendor Requirements:		

	1. The vendor must be an ISO 29110 compliant with SGS Certification and must submit the document.
	2. Bidder, local or foreign should have proven expertise and have already installed in the last (3) years immediately preceding this bidding, a fully implemented, an operational Smart Digital Library that combines innovation in Library Management thru automated self- service stations with Remote Controlled Library building management.
	3. Bidder, local or foreign, shall submit list of their installed Smart Digital libraries including Remote Controlled library building Management with contact details for verification by the end- user of the Procuring entity in preparation for the sustainability, continuity of the project in the next phases. (For Inter - Operability and Compatibility of Equipment and Specifications)
	4. Brochure and product literature have to be submitted together with the bidding documents.
	5. Vendor must adhere to all bidding requirements of the items to be bid, and failure to comply even if declared as the winning bidder, the end-user reserves the prior right to reject one or all of the goods to be installed.
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]

## Section IV. General Conditions of Contract

#### 1. cope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

[Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

#### **3. Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.*{[Include if Framework Agreement will be used:] In the case of* Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.*}* 

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:]* or Framework Agreement*}* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	<i>[For Goods supplied from abroad, state:]</i> "The delivery terms applicable to the Contract are DDP delivered [ <i>indicate place of destination</i> ]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>[indicate name(s)]</i> .
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i>

	a manfammana an aunomisian of an aita assambly and/an start up of
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
l	f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	Spare Parts –
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
	Select appropriate requirements and delete the rest.
	a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
	b. in the event of termination of production of the spare parts:
	i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and

ii. following such termination, furnishing at no cost to the Procuri Entity, the blueprints, drawings, and specifications of the spa parts, if requested.
Entity, the blueprints, drawings, and specifications of the spa
The spare parts and other components required are listed in Section (Schedule of Requirements) and the cost thereof are included in the contraprice.
The Supplier shall carry sufficient inventories to assure ex-stock supply consumable spare parts or components for the Goods for a period of [ <i>indica here the time period specified. If not used, indicate a time period of three time the warranty period</i> ].
Spare parts or components shall be supplied as promptly as possible, but in a case, within [ <i>insert appropriate time period</i> ] months of placing the order.
Packaging –
The Supplier shall provide such packaging of the Goods as is required to prever their damage or deterioration during transit to their final destination, indicated in this Contract. The packaging shall be sufficient to withstan without limitation, rough handling during transit and exposure to extrem temperatures, salt and precipitation during transit, and open storage. Packagin case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
The packaging, marking, and documentation within and outside the packag shall comply strictly with such special requirements as shall be express provided for in the Contract, including additional requirements, if any, specifi below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follow
Name of the Procuring Entity

Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
Transportation –
Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.				
	Intellectual Property Rights –				
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.				
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:				
4	The inspections and tests that will be conducted are: [Indicate the applicable inspections and tests]				

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Unit Cost	Delivered, Weeks/Months
1	1 Lot Smart Digital Security Gate System and Library Self Services (Phase 1)	<mark>1 lot</mark>		
	1 (One) Unit UHF Security Gate			
	A.) Hardware and Specifications			
	1. All in One Design: With built in control box, LED Status, Motion Sensor, RFID Antenna, RFID Reader, Counter Sensor, Audio Status			
	2. Two (2) Panels One (1) Lane			
	3. Light Diffusion Acrylic Design: Controllable RGB LED Lighting that can lit-up to display hundreds of different colors			
	4. Size: 173 cm Height, 36 cm width, 12 cm depth			
	5. Operating Frequency: 918-928 MHz, ISO 18000-6C, EPC class1 Gen 2			
	6. RFID Tag Compatibility: UHF 860- 960 MHz, ISO 18000-6C, EPC Class 1 Gen 2			
	7. Material: PVC and Acrylic			
	8. Alarm Indicators:			
	a.) Visual: Flashes the color Red at the dual security gate system when Spotting unchecked items taken out of library			
	b.) Audio Alarm: A Talking dual gate audio system that commands and gives instructions to user once alarm is triggered			
	9. Communication: TCP/ IP or USB			

	Detection Orientation: Horizontal, cal, Diagonal (3D Dimensional)		
11. C	Detection Range: up to 3 meters		
12. Ir	nput Power -:220 volts		
13. U	PS		
B.) <b>F</b> e	eatures		
1. asset	Orientation: Insensitive library read zone		
2. capat	Multiple library assets processing pility		
3. meter	Long Range Detection: For up to 3 rs		
4. Alarm	Visual and Audio Theft Preventive is		
5. Senso	Movement Directional and Counter ors		
6.	Controllable RGB LED Lighting		
7. black	1 0		
8. gener	Real time monitoring and report ration		
9. protoc	Connectivity with LMS via SIP2 col or API		
	Library assets - Books, Tape, VD, Video Cassette will not be iged during passing gate		
	Integration with CCTV Surveillance on Integration with Flap Gate in the phase		
2,000	pcs UHF RFID tags		
Spec	ifications:		
	ating Frequency: UHF 918-928 ISO 18000- 6C, EPC Class1 Gen2		
Opera	ating Mode : Passive		
Funct	tionality : Read/Write		

Memory : EPC 256 Bits, User Memory 512 Bits, Unique TID 96 Bits, Kill		
 Password 32 Bits RFID Tag Compatibility : UHF 860-960 MHz, ISO 18000-6C, EPC Class1 Gen2	 	
Security Mode : AFI Bits, EAS Bits		
Data Retention : 10 years		
 Programming Cycles : 100,000 Cycles		
 Label Size : 160x8 mm	 	
 Antenna Size : 157x3.5 mm		
 Release Liner Size - 178x8mm		
 Inlay Substrate : Special PET		
Antenna Material : Silver		
Conductive Ink : Double Sided Adhesive		
Operating Temperature : 40c to +70c, Storage Temperature -25c to 50c		
Features:		
Features:         1. 918-928 MHz Frequency Optimized		
1. 918-928 MHz Frequency Optimized		
<ol> <li>918-928 MHz Frequency Optimized</li> <li>Read Range Tune and Optimized</li> </ol>		
<ol> <li>918-928 MHz Frequency Optimized</li> <li>Read Range Tune and Optimized</li> <li>Large Memory Banks</li> </ol>		
<ol> <li>918-928 MHz Frequency Optimized</li> <li>Read Range Tune and Optimized</li> <li>Large Memory Banks</li> <li>EAS and AFI Bits</li> </ol>		
<ol> <li>918-928 MHz Frequency Optimized</li> <li>Read Range Tune and Optimized</li> <li>Large Memory Banks</li> <li>EAS and AFI Bits</li> <li>10 years Data Retention</li> </ol>		
<ol> <li>918-928 MHz Frequency Optimized</li> <li>Read Range Tune and Optimized</li> <li>Large Memory Banks</li> <li>EAS and AFI Bits</li> <li>10 years Data Retention</li> <li>100,000 Programming cycles</li> </ol>		
<ol> <li>918-928 MHz Frequency Optimized</li> <li>Read Range Tune and Optimized</li> <li>Large Memory Banks</li> <li>EAS and AFI Bits</li> <li>10 years Data Retention</li> <li>100,000 Programming cycles</li> <li>Optimized design with tail</li> <li>Designed for book tagging, library and</li> </ol>		
<ol> <li>918-928 MHz Frequency Optimized</li> <li>Read Range Tune and Optimized</li> <li>Large Memory Banks</li> <li>EAS and AFI Bits</li> <li>10 years Data Retention</li> <li>100,000 Programming cycles</li> <li>Optimized design with tail</li> <li>Designed for book tagging, library and document management</li> </ol>		

RFID Tag Compatibility – UHD 860-960 MHz, ISO 18000-6C, EPC Class1 Gen2		
Material Casing – PVC and Acrylic		
Security Mode – AFI, EAS		
Communication – TCP / IP or USB		
Functions – Read / Write		
Detection Range - > 30 cm Input Power – 220 volts		
Input Power – 220 volts		
Features:		
1. Manage member and Library assets		
2. Multilingual Graphical user interface specifically English		
3. Orientation: Insensitive library asset read zone		
4. Multiple library assets processing capability		
5. Connect with computer or laptop		
6. Software: Tagging and Read Mode via LMS		
7. Software : Borrow and Return Mode via LMS Connectivity with LMS via SIP2 Protocol or API		
1 (One) Unit Inventory Handheld Reader		
Touchscreen 1.1mm Thickness Tempered Glass/ 10-dot; 1D/ 2D		
Barcode Scanner; Hot Swapping Battery Pistol Style		
Operation System: Android 6.0		
CPU: Quad Core Cortex - A17/1.8 GhZ		
GPU Arm Mali-T764/High Performance 3D Engine		
RAM+ROM 2G +32G		

LCD 5.0 Inches/1280×720/IPS/180deg View Angle		
Size 160mm×82mm×129mm		
Weight 640g Battery Included		
Read Distance > 8m		
Audio Large Speaker Stereo System		
Vibration Button Style 10mm Diameter		
Protocol ISO / IEC 18000-6C 6B EPC Global c1 Gen 2		
Frequency: 918-928 MHz		
UHF Antenna 3dBi.		
Peak Inventory Speed >500 Tags		
Output Power 0-33dBm		
Charge Indicator - Bicolor LED		
WiFi/ Bluetooth /4G		
USB Interface Micro USB/Molex Connection /Operating Life 10,000 Cycles		
Card Slots Nano Sim Card slot /TF Card Slot		
Power 6,000 mAh Chargeable Li-polymer Battery		
Buttons Power / Volume		
Features:		
Powerful Hardware Configuration to ensure applications like Massive Data Collection, 3D Real-Time Display		
Top class materials like CNCaluminum, PC+Abs body with 1.1 mm thickness tempered glass, excellent heat dissipation plus electromagnetic shielding features		
Industrial grade components plus super long-life cycles		
Ultra-long operating time		
 	10	

High End UHF RFID Engine - Best		
performance and excellent multi tag identification ability		
Outstanding industrial design		
Excellent Mechanical Protection – Safe drop height 1.6m with IP64 protection grade		
Book Inventory; Book Search; Book Management function use with UHF RFID System.		
<b>Training Requirement:</b> Intensive training to library staff for the utilization of the system which includes proper techniques in book tagging, inventory, circulation. Operation proper maintenance and troubleshooting of the services and hardware.		
<b>Warranty:</b> One Year warranty on parts and labor after user acceptance, unlimited remote technical support, quarterly maintenance service within warranty period.		
Vendor Requirements:		
1. The vendor must be an <b>ISO 29110</b> compliant with <b>SGS</b> Certification and must submit the document.		
2. Bidder, local or foreign should have proven expertise and have already installed in the last (3) years immediately preceding this bidding, a fully implemented, an operational Smart Digital Library that combines innovation in Library Management thru automated self- service stations with Remote Controlled Library building management.		
3. Bidder, local or foreign, shall submit list of their installed Smart Digital libraries including Remote Controlled library building Management with contact details for verification by the end-user of the Procuring entity in preparation for the sustainability, continuity of the project in the next phases. (For Inter - Operability and Compatibility of Equipment and Specifications)		

4. Brochure and product literature have to be submitted together with the bidding documents.		
5. Vendor must adhere to all bidding requirements of the items to be bid, and failure to comply even if declared as the winning bidder, the end-user reserves the prior right to reject one or all of the goods to be installed.		

# Section VII. Technical Specifications

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross- referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	1 Lot Smart Digital Security Gate System and Library Self Services (Phase 1)	
	1 (One) Unit UHF Security Gate	
	A.) Hardware and Specifications	
	1. All in One Design: With built in control box, LED Status, Motion Sensor, RFID Antenna, RFID Reader, Counter Sensor, Audio Status	
	2. Two (2) Panels One (1) Lane	
	3. Light Diffusion Acrylic Design: Controllable RGB LED Lighting that can lit- up to display hundreds of different colors	
	4. Size: 173 cm Height, 36 cm width, 12 cm depth	
	5. Operating Frequency: 918-928 MHz, ISO 18000-6C, EPC class1 Gen 2	
	6. RFID Tag Compatibility: UHF 860- 960 MHz, ISO 18000-6C, EPC Class 1 Gen 2	

7. Material: PVC and Acrylic	
8. Alarm Indicators:	
a.) Visual: Flashes the color Red at the dual security gate system when Spotting unchecked items taken out of library	
b.) Audio Alarm: A Talking dual gate audio system that commands and gives instructions to user once alarm is triggered	
9. Communication: TCP/ IP or USB	
10. Detection Orientation: Horizontal, Vertical, Diagonal (3D Dimensional)	
11. Detection Range: up to 3 meters	
12. Input Power -: 220 volts	
13. UPS	
B.) Features	
1. Orientation: Insensitive library asset read zone	
2. Multiple library assets processing capability	
3. Long Range Detection: For up to 3 meters	
4. Visual and Audio Theft Preventive Alarms	
5. Movement Directional and Counter Sensors	
6. Controllable RGB LED Lighting	
7. Stand alone operation during blackout	
8. Real time monitoring and report generation	
9. Connectivity with LMS via SIP2 protocol or API	
10. Library assets - Books, Tape, CD/DVD, Video Cassette will not be damaged during passing gate	

	. Integration with CCTV Surveillance stem Integration with Flap Gate in the xt phase
2,0	000 pcs UHF RFID tags
Sp	ecifications:
	perating Frequency : UHF 918-928 MHz, D 18000- 6C, EPC Class1 Gen2
Op	perating Mode : Passive
Fu	nctionality : Read/Write
	emory : EPC 256 Bits, User Memory 512 s, Unique TID 96 Bits, Kill Password 32 s
	ID Tag Compatibility:UHF 860-960 Iz, ISO 18000-6C, EPC Class1 Gen2
Se	curity Mode : AFI Bits, EAS Bits
Da	ta Retention : 10 years
Pro	ogramming Cycles : 100,000 Cycles
La	bel Size : 160x8 mm
An	tenna Size : 157x3.5 mm
Re	lease Liner Size - 178x8mm
Inl	ay Substrate : Special PET
An	tenna Material : Silver
Co	nductive Ink : Double Sided Adhesive
	perating Temperature: 40c to +70c, prage Temperature -25c to 50c
Fe	atures:
1.	918-928 MHz Frequency Optimized
2.	Read Range Tune and Optimized
3.	Large Memory Banks
4.	EAS and AFI Bits
5.	10 years Data Retention

6. 100,000 Programming cycles	
7. Optimized design with tail	
8. Designed for book tagging, library and document management	
1 (One) Unit UHF RFID Staff Station	
All in One Design – LED Status, USB Port, Computer Connect, RFID, Reader Barcode Scanner, Shelve Antenna	
Operating Frequency – UHF 918-928 MHz, ISO 18000-6C, EPC Class1 Gen2	
RFID Tag Compatibility – UHD 860-960 MHz, ISO 18000-6C, EPC Class1 Gen2	
Material Casing – PVC and Acrylic	
Security Mode – AFI, EAS	
Communication – TCP / IP or USB	
Functions – Read / Write	
Detection Range - > 30 cm Input Power – 220 volts	
Input Power – 220 volts	
Features:	
1. Manage member and Library assets	
2. Multilingual Graphical user interface specifically English	
3. Orientation: Insensitive library asset read zone	
4. Multiple library assets processing capability	
5. Connect with computer or laptop	
6. Software: Tagging and Read Mode via LMS	
7. Software : Borrow and Return Mode via LMS Connectivity with LMS via SIP2 Protocol or API	
1 (One) Unit Inventory Handheld Reader	

Features:	
Buttons Power / Volume	
Power 6,000 mAh Charg Battery	eable Li-polymer
Card Slots Nano Sim Ca Slot	rd slot /TF Card
USB Interface Micr Connection /Operating Lif	
WiFi/ Bluetooth /4G	
Charge Indicator - Bicolor	LED
Output Power 0-33dBm	
Peak Inventory Speed >5	00 Tags
UHF Antenna 3dBi.	
Frequency: 918-928 MHz	
Protocol ISO / IEC 180 Global c1 Gen 2	000-6C 6B EPC
Vibration Button Style 10r	nm Diameter
Audio Large Speaker Ste	reo System
Read Distance > 8m	
Weight 640g Battery Incl	uded
Size 160mm×82mm×129	mm
LCD 5.0 Inches/1280× View Angle	720/IPS/180deg
RAM+ROM 2G +32G	
GPU Arm Mali-T764/High Engine	Performance 3D
CPU: Quad Core Cortex -	- A17/1.8 GhZ
Operation System: Andro	id 6.0
Barcode Scanner; Hot S Pistol Style	wapping Battery
Touchscreen 1.1mm Thic Glass/ 10-dot; 1D/ 2D	kness Tempered

-		
	Powerful Hardware Configuration to ensure applications like Massive Data Collection, 3D Real-Time Display	
	Top class materials like CNCaluminum, PC+Abs body with 1.1 mm thickness tempered glass, excellent heat dissipation plus electromagnetic shielding features	
	Industrial grade components plus super long-life cycles	
	Ultra-long operating time	
	High End UHF RFID Engine - Best performance and excellent multi tag identification ability	
	Outstanding industrial design	
	Excellent Mechanical Protection – Safe drop height 1.6m with IP64 protection grade	
	Book Inventory; Book Search; Book Management function use with UHF RFID System.	
	<b>Training Requirement:</b> Intensive training to library staff for the utilization of the system which includes proper techniques in book tagging, inventory, circulation. Operation proper maintenance and troubleshooting of the services and hardware.	
	<b>Warranty:</b> One Year warranty on parts and labor after user acceptance, unlimited remote technical support, quarterly maintenance service within warranty period.	
	Vendor Requirements:	
	1. The vendor must be an <b>ISO 29110</b> compliant with <b>SGS</b> Certification and must submit the document.	
	2. Bidder, local or foreign should have proven expertise and have already installed in the last (3) years immediately preceding this bidding, a fully implemented, an operational Smart Digital Library that combines innovation in Library Management thru automated self- service	

	stations with Remote Controlled Library puilding management.	
c ir b fr F s tt a	B. Bidder, local or foreign, shall submit list of their installed Smart Digital libraries ncluding Remote Controlled library puilding Management with contact details for verification by the end-user of the Procuring entity in preparation for the sustainability, continuity of the project in he next phases. (For Inter - Operability and Compatibility of Equipment and Specifications)	
b	<ol> <li>Brochure and product literature have to be submitted together with the bidding documents.</li> </ol>	
r b a r	5. Vendor must adhere to all bidding requirements of the items to be bid, and failure to comply even if declared as the winning bidder, the end-user reserves the prior right to reject one or all of the goods to be installed.	
S	l Lot Smart Digital Security Gate System and Library Self Services Phase 1)	
1	I (One) Unit UHF Security Gate	
A	A.) Hardware and Specifications	
c F	1. All in One Design: With built in control box, LED Status, Motion Sensor, RFID Antenna, RFID Reader, Counter Sensor, Audio Status	
2	2. Two (2) Panels One (1) Lane	
C	B. Light Diffusion Acrylic Design: Controllable RGB LED Lighting that can lit- up to display hundreds of different colors	
	4. Size: 173 cm Height, 36 cm width, 12 cm depth	
-	5. Operating Frequency: 918-928 MHz, ISO 18000-6C, EPC class1 Gen 2	
9	6. RFID Tag Compatibility: UHF 860- 960 MHz, ISO 18000-6C, EPC Class 1 Gen 2	
7	7. Material: PVC and Acrylic	

8. Alarm Indicators:	
a.) Visual: Flashes the color Red at the dual security gate system when Spotting unchecked items taken out of library	
b.) Audio Alarm: A Talking dual gate audio system that commands and gives instructions to user once alarm is triggered	
9. Communication: TCP/ IP or USB	
10. Detection Orientation: Horizontal, Vertical, Diagonal (3D Dimensional)	
11. Detection Range: up to 3 meters	
12. Input Power -: 220 volts	
13. UPS	
B.) Features	
1. Orientation: Insensitive library asset read zone	
2. Multiple library assets processing capability	
3. Long Range Detection: For up to 3 meters	
4. Visual and Audio Theft Preventive Alarms	
5. Movement Directional and Counter Sensors	
6. Controllable RGB LED Lighting	
7. Stand alone operation during blackout	
8. Real time monitoring and report generation	
9. Connectivity with LMS via SIP2 protocol or API	
10. Library assets - Books, Tape, CD/DVD, Video Cassette will not be damaged during passing gate	
11. Integration with CCTV Surveillance System Integration with Flap Gate in the next phase	

2,000 pcs UHF RFID tags	
Specifications:	
Operating Frequency : UHF 918-928 MHz, ISO 18000- 6C, EPC Class1 Gen2	
Operating Mode : Passive	
Functionality : Read/Write	
Memory : EPC 256 Bits, User Memory 512 Bits, Unique TID 96 Bits, Kill Password 32 Bits	
RFID Tag Compatibility : UHF 860-960 MHz, ISO 18000-6C, EPC Class1 Gen2	
Security Mode : AFI Bits, EAS Bits	
Data Retention : 10 years	
Programming Cycles : 100,000 Cycles	
Label Size : 160x8 mm	
Antenna Size : 157x3.5 mm	
Release Liner Size - 178x8mm	
Inlay Substrate : Special PET	
Antenna Material : Silver	
Conductive Ink : Double Sided Adhesive	
Operating Temperature : 40c to +70c, Storage Temperature -25c to 50c	
Features:	
1. 918-928 MHz Frequency Optimized	
2. Read Range Tune and Optimized	
3. Large Memory Banks	
4. EAS and AFI Bits	
5. 10 years Data Retention	
6. 100,000 Programming cycles	
7. Optimized design with tail	
1 - I	

8. Designed for book tagging, library and document management	
1 (One) Unit UHF RFID Staff Station	
All in One Design – LED Status, USB Port, Computer Connect, RFID, Reader Barcode Scanner, Shelve Antenna	
Operating Frequency – UHF 918-928 MHz, ISO 18000-6C, EPC Class1 Gen2	
RFID Tag Compatibility – UHD 860-960 MHz, ISO 18000-6C, EPC Class1 Gen2	
Material Casing – PVC and Acrylic	
Security Mode – AFI, EAS	
Communication – TCP / IP or USB	
Functions – Read / Write	
Detection Range - > 30 cm Input Power – 220 volts	
Input Power – 220 volts	
Features:	
1. Manage member and Library assets	
2. Multilingual Graphical user interface specifically English	
3. Orientation: Insensitive library asset read zone	
4. Multiple library assets processing capability	
5. Connect with computer or laptop	
6. Software: Tagging and Read Mode via LMS	
7. Software : Borrow and Return Mode via LMS Connectivity with LMS via SIP2 Protocol or API	
1 (One) Unit Inventory Handheld Reader	
Touchscreen 1.1mm Thickness Tempered Glass/ 10-dot; 1D/ 2D	

Barcode Scanner; Hot Swapping Battery Pistol Style	
Operation System: Android 6.0	
CPU: Quad Core Cortex - A17/1.8 GhZ	
GPU Arm Mali-T764/High Performance 3D Engine	
RAM+ROM 2G +32G	
LCD 5.0 Inches/1280×720/IPS/180deg View Angle	
Size 160mm×82mm×129mm	
Weight 640g Battery Included	
Read Distance > 8m	
Audio Large Speaker Stereo System	
Vibration Button Style 10mm Diameter	
Protocol ISO / IEC 18000-6C 6B EPC Global c1 Gen 2	
Frequency: 918-928 MHz	
UHF Antenna 3dBi.	
Peak Inventory Speed >500 Tags	
Output Power 0-33dBm	
Charge Indicator - Bicolor LED	
WiFi/ Bluetooth /4G	
USB Interface Micro USB/Molex Connection /Operating Life 10,000 Cycles	
Card Slots Nano Sim Card slot /TF Card Slot	
Power 6,000 mAh Chargeable Li-polymer Battery	
Buttons Power / Volume	
Features:	

r		
	Powerful Hardware Configuration to ensure applications like Massive Data Collection, 3D Real-Time Display	
	Top class materials like CNCaluminum, PC+Abs body with 1.1 mm thickness tempered glass, excellent heat dissipation plus electromagnetic shielding features	
	Industrial grade components plus super long-life cycles	
	Ultra-long operating time	
	High End UHF RFID Engine - Best performance and excellent multi tag identification ability	
	Outstanding industrial design	
	Excellent Mechanical Protection – Safe drop height 1.6m with IP64 protection grade	
	Book Inventory; Book Search; Book Management function use with UHF RFID System.	
	<b>Training Requirement:</b> Intensive training to library staff for the utilization of the system which includes proper techniques in book tagging, inventory, circulation. Operation proper maintenance and troubleshooting of the services and hardware.	
	<b>Warranty:</b> One Year warranty on parts and labor after user acceptance, unlimited remote technical support, quarterly maintenance service within warranty period.	
	Vendor Requirements:	
	1. The vendor must be an <b>ISO 29110</b> compliant with <b>SGS</b> Certification and must submit the document.	
	2. Bidder, local or foreign should have proven expertise and have already installed in the last (3) years immediately preceding this bidding, a fully implemented, an operational Smart Digital Library that combines innovation in Library Management thru automated self- service	

stations with Remote Controlled Library building management.	
3. Bidder, local or foreign, shall submit list of their installed Smart Digital libraries including Remote Controlled library building Management with contact details for verification by the end-user of the Procuring entity in preparation for the sustainability, continuity of the project in the next phases. (For Inter - Operability and Compatibility of Equipment and Specifications)	
4. Brochure and product literature have to be submitted together with the bidding documents.	
5. Vendor must adhere to all bidding requirements of the items to be bid, and failure to comply even if declared as the winning bidder, the end-user reserves the prior right to reject one or all of the goods to be installed.	

# Checklist of Bidding Documents for Procurement of Goods and Services

Documents should be arranged as per this checklist. Kindly provide folders or guides, dividers and ear tags with appropriate labels.

The Technical Component (First Envelope) shall contain the following:

1. Eligibility Requirements.

	Class "A" Documents				
Leg	gal Do	ocuments			
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;			
<u>Tec</u>	chnica	al Documents			
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; within the relevant period in the bidding documents. The Statement shall include all information required in the PBDs prescribed by the GPPB. <i>(Sample form-Form No. 3)</i> . The duly signed form shall still be submitted even if the bidder has no on-going contract.			
	(c)	Statement of the prospective bidder identifying its Single Largest Completed Contract (SLCC) similar to the contract to be bid, equivalent to at least fifty percent (50%) of the ABC supported with contract/purchase order, end-user's acceptance of officials receipt(s) issued for the contract, within the relevant periods provided in the Bidding Documents. The statement shall include all information required in the PBDs prescribed by the GPPB. (sample form-Form No. 4)			
	(d)	The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized			

	institutions, for the preceding calendar year which should not be earlier that two (2) years from the date of bid submission.
	e) Original copy of Bid Security. If in the form of a Surety Bond, submit also certification issued by the Insurance Commission;
	<u>or</u>
	Original copy of Notarized Bid Securing Declaration;
(1	f) Scheduled VI- Schedule of Requirements with signature of Bidder's authorized representative.
	g) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after sales/parts, if applicable; <u>and</u>
	Original duly signed Omnibus Sworn Statement (OSS);
(	h) <b>and</b> if applicable, Original Notarized Secretary's Certificate in case of a corporation partnership, or cooperative; or Original Special Power of Attorney of all member of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. <b>(sample Form- Form No. 7)</b>
Final	ncial Documents
	(i) The prospective bidder's computation of Net Financial Contracting Capacit (NFCC); (sample form-Form No.5)
	<u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	Class "B" Documents
	<ul> <li>If applicable, a duly signed joint venture agreement (JVA) in case the join venture is already in existence;</li> <li>or</li> </ul>
	Duly notarized statements from all the potential joint venture partners statin that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

FI	FINANCIAL COMPONENT (SECOND ENVELOPE)							
	(a)	Original of duly signed and accomplished Financial Bid Form; (sample form- Form No. 1)						
	(b)	Original of duly signed and accomplished Price Schedule(s). (sample form- Form No. 2)						

# FORMS

Republic of the Philippines

# **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)

CITY/MUNICIPALITY OF \_\_\_\_\_) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

#### 1. [Select one, delete the other:]

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

#### 2. [Select one, delete the other:]

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by</u> <u>relation, membership, association, affiliation, or controlling interest with another</u> <u>blacklisted person or entity as defined and provided for in the Uniform Guidelines</u> <u>on Blacklisting:</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an

authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

#### 6. [Select one, delete the rest:]

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_\_ at \_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

## **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF \_\_\_\_\_\_) S.S.

#### **BID SECURING DECLARATION**

#### Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

# [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

# **Bid Form for the Procurement of Goods**

[shall be submitted with the Bid]

#### **BID FORM**

Date:

Project Identification No.: \_\_\_\_\_

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

#### [Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of agent Currency Commission or gratuity

(If none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

# Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

Name of Bidder				Project ID No		Pageof			
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+ 8)	Total Price delivered Final Destination (col 9) x (col 4)

For Goods Offered from Within the Philippines

Duly authorized to sign the Bid for and behalf of:

### Statement of Single Largest Completed Contract (SLCC) Similar

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Supplier's Name and Address	Kinds of Goods	Date of Delivery	Contract Amount

Note: This statement shall be supported with NOA, Contract, NTP O.R or Sales Invoice &. other docs, if necessary

Submitted by:

(Printed Name & Signature)

Designation:

Company Name:

Date:

## Statement of all Ongoing Government & Private Contracts Including Contracts Awarded But Not Yet Started,

						Amount	
Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Contract Amount	Value of Outstandin g Contract
Government							
Private							
						TOTAL	

Note: This statement shall be supported with NOA, Contract, NTP and other docs, if necessary

Submitted by:

(Printed Name & Signature)

Designation:

Company Name: \_\_\_\_\_

Date: