

Office of the Bids and Award Committee

Project Title: Supply, Delivery of Office Equipment

SUPPLEMENTAL/BID BULLETIN (SBB) NO. 05

This SBB No. 05 dated February 12, 20234 for Project ID No. GS-2024-05, "Supply, Delivery of Office Equipment" is issued pursuant to Section 22.5 of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184, to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of the Bidding Document.

ITB	PARTICULARS	AMENDMENT/CLARIFICATION
Clause		
BDS		
19.3		
Lot 1		
2	Fellowes Powershred 79Ci Cross-Cut Shredder	79Ci Cross-Cut Shredder
	(36) D. Tan	
3	White Monoblock (with arm) M5 classmate chair for class room heavy duty	White Monobloc (with arm) classmate chair for class room heavy duty PS — QTY- 72, Unit Price 1,180.56
Lot 2		
TF	(67) V. Suminguit	
1	Conference/Office Chair Specifications: Material: Fabric, Leather, metal plastic Chair Type: Office/conference chair Height: Adjustable with hydraulic lift Horizontal Movement: Swivel, caster wheels Color: Brown Armchair: Adjustable	Conference/Office Chair Specifications: Material: Fabric, Leather, metal plastic Chair Type: Office/conference chair Height: Adjustable with hydraulic lift Horizontal Movement: Swivel, caster wheels Color: Brown Armchair: Adjustable
Lot 3		RESERVE TO COMMENTER THAT PROPERTY AND A SECOND CO.
1	Wet & Dry Vacuum Cleaner	Wet & Dry Vacuum Cleaner
_	Specifications:	Specifications:
	Actual Suction Power	Actual Suction Power
	Air Watts: 240 Energy Use	Air Watts: 240 Energy Use

	Accessory ID (mm): 35 Current Type	50-60 Weight Without
	(V/Hz) 220-240/ 50-60 Weight Without	Accessories (kg): 8,7 Ship Weight incld. Packaging (kg):
	Accessories (kg): 8,7 Ship Weight incld.	12.8 ;
	Packaging (kg): 12.8	Dimensions (L x W x H) (mm): 418 x 382 x 652 w/ equipment: 1x Suction Hose, 2.2m, 35 mm; 1x
	Dimensions (L x W x H) (mm): 418 x 382 x 652	suction Tubes, 2 piece(s), 0.5m, 35mm; 1x wet and dry
	w/ equipment: 1x Suction Hose,2.2m, 35	floor Nozzle, Switchable Floor Nozzle with 2x rubber
	mm; 1x suction Tubes, 2 piece(s), 0.5m,	and 2x Brush Srips; Flat Pleated Filter, in removable
'	35mm; 1x wet and dry floor Nozzle,	Filter box ; 1x Crevice Nozzle; 1x Fleece Filter Bag, 1
	Switchable Floor Nozzle with 2x rubber	piece(s)
	and 2x Brush Srips; Flat Pleated Filter, in	Removable handle with Electrostatic Protection
	removable Filter box ; 1x Crevice Nozzle;	Blower Function Parking Position
	1x Fleece Filter Bag, 1 piece(s)	Filter Cleaning
	Removable handle with Electrostatic	Accessory Storage on the Device
	Protection	Sturdy Bumper
	Blower Function Parking Position	Convenient 3-in-1 carrying handle
	Filter Cleaning	Rotary switch (on/off) Storage compartment for small parts
	Accessory Storage on the Device	Storage compartment for small parts
	Sturdy Bumper Convenient 3-in-1 carrying handle	1 yr warranty
	Rotary switch (on/off)	a ye saultuney
	Storage compartment for small parts	
	(184) J. Tajones	
		Free-standing water dispenser
	Free-standing water dispenser	Bottom Loading
	Bottom Loading	Hot, normal and cold
	Hot, normal and cold	Compressor type cooling
3	Compressor type cooling	Hot water safety lock
3	Hot water safety lock	585 W
	585 W	L-12.25
	L-12.25	W-12.5
	W-12.5	H-41
	H-41	1 yr warranty
	(215) J. Intong	
		15.4 cu.ft Two door Top freezer Refrigerator
	15.4 cu.ft Two door Top freezer	(GR H432HLHN;Platinum Silver 700 x 1680 x
4	Refrigerator (GR H432HLHN;Platinum	730mm -inverter- type (no frost) at least 1
•		· · · · · · · · · · · · · · · · · · ·
•	_	vear warranty
	Silver 700 x 1680 x 730mm	year warranty Electric Fan, ceiling mount, orbit type 3 blade
5	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type	year warranty Electric Fan, ceiling mount, orbit type 3 blade
	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO	Electric Fan, ceiling mount, orbit type 3 blade
	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity	<u> </u>
	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620
_	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620	Electric Fan, ceiling mount, orbit type 3 blade Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm
_	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system
	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that
	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability
5	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours
5	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz
5	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double
5	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body
5	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double
6	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body 1 year warranty
5	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body Vertical Blinds, 12.90ft x 6.20ft (1st	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body 1 year warranty Vertical Blinds, 12.90ft x 6.20ft (1st floor
6	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room)	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body 1 year warranty
6	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room) (273) C. Cordova	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body 1 year warranty Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room color: parchment color
6	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room) (273) C. Cordova Computer Tables (Customized Tables	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body 1 year warranty Vertical Blinds, 12.90ft x 6.20ft (1st floor
6	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room) (273) C. Cordova	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body 1 year warranty Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room color: parchment color
6	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room) (273) C. Cordova Computer Tables (Customized Tables	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body 1 year warranty Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room color: parchment color
6	Silver 700 x 1680 x 730mm Electric Fan, ceiling mount, orbit type (227) MJ. ROJO Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room) (273) C. Cordova Computer Tables (Customized Tables	Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620 Layer mesh size 385 x 285 mm With 360 degrees rotating air system 1500 W rated power, and Heat control system that enhances temperature stability Set the time for up to 24 hours Quite operation 30-45 dB, 220V-50Hz Working Temperature of 30-90 degrees, double insulation body 1 year warranty Vertical Blinds, 12.90ft x 6.20ft (1st floor Preparation Room color: parchment color

.5

	Microwave Oven	Microwave Oven
9	30-35 Liters Capacity	30-35 Liters Capacity
	Digital	Digital
	Countertop	Countertop
	Non-Inverter	Non-Inverter
	Ceramic	Ceramic
	Enamel Interior	Enamel Interior
	Stainless Steel Door	Stainless Steel Door
	LED Display Type	LED Display Type
	Power Source-220V 60HZ	Power Source-220V 60HZ
	1 year warranty on parts and services	1 year warranty on parts and services
	Heavy Duty Blender	Heavy Duty Blender
	Specification: Blender Type	Specification: Blender Type
	Countertop Blender	Countertop Blender
	Blender Features	Blender Features
	Ice Crushing	Ice Crushing
	Variable Speeds	Variable Speeds
12	Material Plastic	Material Plastic
12	Juicer Features	Juicer Features
	Anti-Slip Feet	Anti-Slip Feet
	Variable Speeds	Variable Speeds
	Volume Capacity: 2.25L	Volume Capacity: 2.25L
	Input Voltage: 230V	Input Voltage: 230V
	Power Consumption: 1500W	Power Consumption: 1500W
		1 year warranty parts & services
13	CLASSROOM CHAIR Classmate Chair	CLASSROOM CHAIR Made of 100% plastic, the is
	Made of 100% plastic, the Classmate	available with a writing board for both left- and-
	Chair is available with a writing board	right-handers Dimension: Backrest Height: 710
	for both left- and-right-handers	mm seat Height:380 mm, Seat Depth:403mm, Seat
	Dimension: Backrest Height: 710 mm	Width:370 mm Writing Board Height:614 mm,
	seat Height:380 mm, Seat	Writing Board Depth:617m,Writing Board
	Depth:403mm, Seat Width:370 mm	With:250 mm, Weight (KGS) 3.40 kgs Features
	Writing Board Height:614 mm,	100% virgin resin Char Parts available: Inclusion:
	Writing Board Depth:617m,Writing	Delivery and Installation
	Board With:250 mm, Weight (KGS)	
	3.40 kgs Features 100% virgin resin	
	Char Parts availbale: Inclusion:	
	Delivery and Installation	
ŀ		1

For guidance and information of all concerned.

HERMIE P. PAVA

BAC Chairperson for Goods and Services

By:

JEREMY YVES P. CAPIN

BAC Vice-Chaimlan for Goods and Services