

Office of the Bids and Award Committee

Project Title: Supply, Delivery and Installation of Furniture and Fixtures

SUPPLEMENTAL/BID BULLETIN (SBB) NO. 23

This SBB No. 23 dated April 16, 2024 for Project ID No. GS-2024-24, "Supply, Delivery and Installation of Furniture and Fixtures" is issued pursuant to Section 22.5 of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184, to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of the Bidding Document.

ITB	PARTICULARS	AMENDMENT/CLARIFICATION
Clause		
ITB	Carbina M. Calcadala at Danidana	G - 1 - 1 - 6 D - 1 - 1
	Section VI. Schedule of Requirements	Section VI. Schedule of Requirements
	45 DAYS upon NTP	90 DAYS upon NTP due to fabrication
BDS		
	Lot 1= Registrar	
LOT 1		
1	STEEL RACKS, Six (6) adjustable shelves plus one (1) top shelf bolted to slotted 1 1/2" x 1/2" 2mm. Angular posts, all shelves shall be supported with corner plates for stability, shelves shall be gauge # 20 with stiffeners welded beneath for inflexibilty, anti rust protection and powder coated light gray finish. Minimum Dimension: 72"Hx36"Wx18"D	STEEL RACKS, Six (6) adjustable shelves
2	LAMINATED GLASS PARTITION, 4.68 cm Thickness, 150 Height x 150 Width with base raceway for wire management and aluminum silver raceway cover, frames, trimmings and cappings	LAMINATED GLASS PARTITION
3	LAMINATED GLASS PARTITION, 4.68 cm Thickness, 150 Height x 90 Width, with base raceway for wire management and aluminum silver raceway cover, frames, trimmings, and cappings	LAMINATED GLASS PARTITION
4	LAMINATED GLASS PARTITION, 4.68 cm Thickness, 150 Height x 60 Width, with base raceway for wire management and aluminum silver raceway cover, frames, trimmings and cappings	LAMINATED GLASS PARTITION
5	PARTITION TABLE TOP, 25mm Thick MDF Board. HPL laminated woodgrain	

6	PARTITION TABLE TOP, 25mm Thick MDF Board, HPL laminated woodgrain finish with PVC edging Side Table: 90W x 45D cm	
7	TWELVE (12) SEATER CONFERENCE TABLE (Boat Shape) 30mm Thick top, MDF Board, HPL laminated woodgrain finish with PVC edging, panel leg, 320W x 120D x 75H cm with Built-in microphones and Sound System	TWELVE (12) SEATER CONFERENCE
8	CONFERENCE CHAIR, Mid Back Chair, Gas lift and Tilting Mechanism, Fabric upholstery back and seat with fixed armrest, five-pronged chrome base with caster	CONFERENCE CHAIR, Mid Back Chair
9	THREE SEATER SOFA, high density with Leatherette upholstery, with Armrest	THREE SEATER SOFA, high density
10	SIDE TABLE, for Sofa Glass finish	SIDE TABLE, for Sofa Glass finish
11	EXECUTIVE TABLE WITH SIDE TABLE customized table in 25 cm thick MDF Board with laminated finish, with Movable Pedestal, 180W x 70D x 75H cm and Slide Table / Cabinet with three drawers and open shelves, 120W x 40D x 75H cm	EXECUTIVE TABLE WITH SIDE TABLE
12	EXECUTIVE CHAIR, High back Leatherette upholstery, with fixed armrest, gas lift, and tilting mechanism, five-pronged nylon base with casters	EXECUTIVE CHAIR, High back

.

		,
13	VISITOR'S CHAIR, Low back leatherette	VISITOR'S CHAIR
	upholstery, with fixed armrest, sled	T 🚡
	base in black powder coated finish	
14	STAFF CHAIR, Mid Back Chair, Gas lift	STAFF CHAIR, Mid Back Chair, Gas lift
	and Tilting Mechanism, Fabric	
	upholstery back and seat with fixed	$\mathcal{L}_{\mathcal{L}}$
	armrest, five-pronged chrome base with casters	
	With casters	
LOT 2	ļ	•
1012	Engineering	
1	TABLES	-
	Round Tables	Pound Tables
	• SFT Round Table	Round Tables
	HDPE Table Top and Powder-Coated	
	Steel frame	COMMERCIAL GRADE
	• Unfold Table Size: 154 cm –	MAN COMMITTATE THE TON
	diameter; 74 cm – height; 4.5 cm –	
	thickness	Manuface STASONS formathing by Manufactor MOFI Later by not Product Coated State State []
	• Tube size: 28 mm	Unded tests (per gr 25.0° inter* 14.5 gas politically a fine fore program (15.0 kg) and (15.0 kg) an
	• Package size: L - 156 cm; W - 156 cm;	Top percents New Author 100/210/03
	H – 6 cm	Br
	• 1 pc per carton	[1]
	Net Weight/Gross Weight: 19.0	` I `
	kgs/21.5 kgs	
	Folding Legs	
	8 to 10 seater capacity	
	Product Code: ST60RS	
2	Rectangular Tables	Rectangular Tables
	Rectangular Solid Slim Top Table	
	Furniture with Foldable Steel Legs	(Samo)
	(White) Rectangular Shaped Table	1
	Material: Plastic PE	
	• Size(cm): 122 x 62 x 72.5	
	Solid Top Commercial Grade table	']
	with foldable steel legs	
<u> </u>	• 24" x 48"	
	6-seater capacity	
3	CHAIRS	
	Tiffany Chairs	Tiffany Chairs
	Material: Wrought Iron	
	• Dimensions: 15.75 " x 15.75"	Ifl
	Total Height: 40.5 "	1
	Height from the floor to seat level:	🗐
	17.5"	
	Brush enamel paint finish	

.

	Character to a state of the	
4	Class A Heavy Duty Adult Monoblock	Class & Hoose Duty & duly & Acas blook Chairs
_	Chairs	Class A Heavy Duty Adult Monoblock Chairs
	• Color: White	-
	• 101 Classic Chair	
	Durable	_
	Premium Matte Finish	BEST V
, .	Lightweight and Stackable	J 7 Ti.
	Made from Quality Material	1 / / \
	Material: Polypropylene (PP)	
	Warranty Period: 3 months	1
5	PODIUM	Curved Podium, Truss Metal Lectern with A Cup Holder 11568-H
	Curved Podium, Truss Metal Lectern with A Cup Holder 11568-H	
	Measures 24" wide x 47" high x 16" deep	577
	• Top is 23.6"W x 15.7"D	1
	Podium weighs 35 lbs	1
	Reading panel comes with book	† KINI
	stopper	
	Made from 3/4" MDF (engineered	
	wood) with melamine finish	
	Truss is steel tubing with solid rods	
	A Saucer is made of metal. Measures	
	: 3.14"(80mm) W X 3.14"(80mm) D X	
	2.32"(59mm) H	
	The main bracket is made of 1.2"	
	(30mm) diameter round tube.	
	• Top has a barrier. This Barrier is made	
	of acrylic. Measures: 16.14" (410mm)	}
	W X 0.39"(10mm) D X 0.59" (15mm) H	_
	• Item Weight: 28.4 pounds	4
	• Product Dimensions: 47 x 23.8 x 15.9	
	• Color: Black	1
		_
	Material Type: Metal	
	Manufacturer Part Number:	CURTAING
6	• Fabric: Foam-backed, opaque	CURTAINS
	ultradium • Size: 54" W x 158" L (8 ft long – 8 rings) • Color: Dark Brown	
	Curtain Motor with Rail: 2 Way R/F Communication System; Built-In	
	Transformer; One-Touch System; Polyurethane Belt; LED; Manual Operation In Case of Blackout; It is Quiet: 5-year warranty	
LOT 3		E E E E E E E E E E E E E E E E E E E
LO 1 0	College of Education	College of Education
	i	

.

	lon on the second	
-	2" x 2" aluminum frame with 38mm the polyurethane insulator; complete with heavy duty over hang metal roller track and guide; with bottom circular bearing with guide, with foot lock, complete with all accessories, verify actual site	metal sheets for cover; on 2" x 2" aluminum frame with 38mm thk polyurethane insulator; complete with heavy duty over hang metal roller track and guide; with bottom circular bearing with guide, with foot lock, complete with all accessories, verify actual site (Please see attached PDF drawing
2	Supply, fabrication and installation of prepainted built-up beam with 10lengths 5mm x 50mm x 50mm angle bar steel beam; with 10 lengths 5mm x 25mmx 25mm angle bar web member; and 10 lengths 5mm x 38mm x 38mm angle bar nailer, verify actual site	Supply, fabrication and installation of prepainted built-up beam with 10lengths 5mm x 50mm x 50mm angle bar steel beam; with 10 lengths 5mm x 25mmx 25mm angle bar web member; and 10 lengths 5mm x 38mm x 38mm angle bar nailer, verify actual site(Please see attached PDF drawing
3	Supply and installation 10 sheets 3.5mm thk fiber cement on metal furring prepainted for upper wall cover	Supply and installation 10 sheets 3.5mm thk fiber cement on metal furring prepainted for upper wall cover(Please see attached PDF drawing
4	Supply and installation of 0.9m x 2.1m hardwood prepainted panel door with hardwood jamb with 0.15m x 0.3m fixed glass, with an equal area to be removed	Supply and installation of 0.9m x 2.1m hardwood prepainted panel door with hardwood jamb with 0.15m x 0.3m fixed glass, with an equal area to be removed (Please see attached PDF drawing
	College of Business and Management	College of Business and Management
5	Supply, fabrication and installation of 8sets movable partion panel with 1m x 2.5m; 2 sets movable partition panel with 1m x 2.2m; composed of mini rib prepainted metal sheets for cover; on 2" x 2" aluminum framewith 38mm thk polyurethane insulator; complete with heavy duty over hang metal roller track and guide; with bottom circular bearing with guide, with foot lock, complete with all accessories, verify actual site	Supply, fabrication and installation of 8sets movable partion panel with 1m x 2.5m; 2 sets movable partition panel with 1m x 2.2m; composed of mini rib prepainted metal sheets for cover; on 2" x 2" aluminum framewith 38mm thk polyurethane insulator; complete with heavy duty over hang metal roller track and guide; with bottom circular bearing with guide, with foot lock, complete with all accessories, verify actual site(Please see attached PDF Drawing)
6	Supply, fabrication and installation of prepainted built-up beam 10lengths 5mm x 50mm x 50mm angle bar steel rafter; with 10 lengths 5mm x 25mmx 25mm angle bar web member; and 10 lengths 5mm x 38mm x 38mm angle bar nailer, verify actual site	Supply, fabrication and installation of prepainted built-up beam 10lengths 5mm x 50mm x 50mm angle bar steel rafter; with 10 lengths 5mm x 25mmx 25mm angle bar web member; and 10 lengths 5mm x 38mm x 38mm angle bar nailer, verify actual site (Please see attached PDF Drawing)
7	Supply and installation 10 sheets 3.5mm thk fiber cement on metal furring prepainted for upper wall cover	Supply and installation 10 sheets 3.5mm thk fiber cement on metal furring prepainted for upper wall cover (Please see attached PDF Drawing) Additional Requirement: 1. Warranty: 1 year for all items
		2. Site Inspection

For guidance and information of all concerned.
HERMIEP. PAVA

INSTALLATION OF MOVABLE PARTITION PANELS AT COLLEGE OF EDUCATION











