



Office of the Bids and Award Committee

Project Title: *Supply, Delivery & Installation of Office Equipment and Appliances*

SUPPLEMENTAL/BID BULLETIN (SBB) NO. 35

This SBB No. 35 dated May 20, 2024 for Project ID No. GS-2024-27, " *Supply, Delivery & Installation of Office Equipment and Appliances*" is issued pursuant to Section 22.5 of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184, to clarify, modify or amend items in the Bidding Documents. Accordingly, this shall form an integral part of the Bidding Document.

ITB Clause	PARTICULARS	AMENDMENT/CLARIFICATION
BDS		
Lot 1	GF	
	(134)FRDC	(134)FRDC
1	Refrigerator (2-door, 10.4 cu ft., white/gray/silver color, inverter, no frost)	Refrigerator (2-door, 10.4 cu ft., white/gray/silver color, inverter, no frost) -5 yrs warranty for compressor -1 yr. warranty for other parts
4	Automatic Touchness hand sanitizer/soap dispenser (wall mount operated, 700 ml capacity, infrared sensor, 1 ml drop volume, white color, with 4 pcs AA battery)	Automatic Touchless hand sanitizer/soap dispenser (wall mount operated, 700 ml capacity, infrared sensor, 1 ml drop volume, white color, with 4 pcs AA battery)
	(313) University Extension	
5	"Coffee depulper machine, heavy duty with AC/DC"	Coffee depulper machine Capacity/volume/speed:40-50 kg/hr Dimension:545x315x575mm
6	Coffee Roaster, 2-4 kg capacity	Coffee Roaster LPG gas type Batch Capacity=2-4kg/batch Roaster Cycle= 12-15minutes/drum Machine size-110x70xcm Net wt=20kg
7	"Automatic Continuous Plastic Bag Band Sealer Sealing Machine 220V /110V Aluminum Foil Heat FR-900"	Automatic Continuous Plastic Bag Band Sealer Sealing : Sealing Width-6-15mm(0.24-0.59inch) : Film Thickness=0.02-0.80mm : Sealing Speed= 0-16m/min =Dimensions= 33x15x11inches(83.8x38.1x27.9cm); 38

1	<p>Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620</p> <p>Layer mesh size 385 x 285 mm</p> <p>With 360 degrees rotating air system</p> <p>1500 W rated power, and Heat control system that enhances temperature stability</p> <p>Set the time for up to 24 hours</p> <p>Quiet operation 30-45 dB, 220V-50Hz</p> <p>Working Temperature of 30-90 degrees, double insulation body 1 year warranty</p>	<p>Sixteen (16) layer 70 kg capacity Vegetable/Fruit Dryer 400 x 465 x 620</p> <p>Layer mesh size 385 x 285 mm</p> <p>With 360 degrees rotating air system</p> <p>1500 W rated power, and Heat control system that enhances temperature stability</p> <p>Set the time for up to 24 hours</p> <p>Quiet operation 30-45 dB, 220V-50Hz</p> <p>Working Temperature of 30-90°c degrees, double insulation body 1 year warranty</p>
	(216) CVM	
3	Electric Fan, ceiling mount, orbit type	Electric Fan, ceiling mount, orbit type, 16" diameter, 230V 60Hz, 3-4 speed, 3-5 Blades, Thermally Fuse Protected, with Wall Rotary Switch, High-Performance Motor QTY. 9 Unit Price- 2,172.50
	(215) Agri.	
4	15.4 cu.ft Two door Top freezer Refrigerator (GR H432HLHN; Platinum Silver 700 x 1680 x 730mm	15.4 cu.ft Two door Top freezer Refrigerator (GR H432HLHN; Platinum Silver 700 x 1680 x 730mm , 5 yrs warranty compressor, 1 yr other part
	[184] ICA	[184] CISC
5	Free-standing water dispenser Bottom Loading Hot, normal and cold Compressor type cooling Hot water safety lock 585 W L-12.25 W-12.5 H-41	Free-standing water dispenser Top-Load Hot, normal and cold Compressor type cooling Hot water safety lock 585 W L-12.25 W-12.5 H-41 1 year warranty
	(156) Human Ecology	(156) Human Ecology
6	<p>Wet & Dry Vacuum Cleaner</p> <p>Specifications:</p> <p>Actual Suction Power</p> <p>Air Watts: 240 Energy Use</p> <p>W: 1100 Container Capacity</p> <p>I: 25 Container Material: Stainless Steel Standard</p> <p>Accessory ID (mm): 35 Current Type (V/Hz) 220-240/ 50-60 Weight Without Accessories (kg): 8,7 Ship Weight Incd. Packaging (kg): 12.8</p> <p>Dimensions (L x W x H) (mm) : 418 x 382 x 652</p> <p>w/ equipment: 1x Suction Hose, 2.2m, 35 mm; 1x suction Tubes, 2 piece(s), 0.5m, 35mm; 1x wet and dry floor Nozzle, Switchable Floor Nozzle with 2x rubber and 2x Brush Strips; Flat Pleated Filter, In removable Filter box ; 1x Crevice Nozzle; 1x Fleece Filter Bag, 1 piece(s)</p> <p>Removable handle with Electrostatic Protection</p> <p>Blower Function</p> <p>Parking Position</p> <p>Filter Cleaning</p>	<p>Wet & Dry Vacuum Cleaner</p> <p>Specifications:</p> <p>Actual Suction Power</p> <p>Air Watts: 240 Energy Use</p> <p>W: 1100 Container Capacity</p> <p>I: 25 Container Material: Stainless Steel Standard</p> <p>Accessory ID (mm): 35 Current Type (V/Hz) 220-240/ 50-60 Weight Without Accessories (kg): 8,7 Ship Weight Incd. Packaging (kg): 12.8</p> <p>Dimensions (L x W x H) (mm) : 418 x 382 x 652</p> <p>w/ equipment: 1x Suction Hose, 2.2m, 35 mm; 1x suction Tubes, 2 piece(s), 0.5m, 35mm; 1x wet and dry floor Nozzle, Switchable Floor Nozzle with 2x rubber and 2x Brush Strips; Flat Pleated Filter, In removable Filter box ; 1x Crevice Nozzle; 1x Fleece Filter Bag, 1 piece(s)</p> <p>Removable handle with Electrostatic Protection</p> <p>Blower Function</p> <p>Parking Position</p> <p>Filter Cleaning</p> <p>Accessory Storage on the Device</p> <p>Sturdy Bumper</p> <p>Convenient 3-in-1 carrying handle</p>

	Rotary switch (on/off) Storage compartment for small parts	
12	Sound system XP700 X-series portable wireless speaker	Sound system portable wireless speaker
		Speaker Size Diameter of speaker unit (tweeter) front 6 cm x 3 rear 5 cm x 1, diameter of speaker unit (woofer) 17 cm x 2 BATTERY LIFE 25 HOURS Stereo Mini Jack (IN), USB A, Mic Input (ø6.3 mm), Guitar Input (ø6.3 mm)
18	HEADPHONES HPX4000 Closed-Type High-Definition DJ Headphones <ul style="list-style-type: none"> •High-definition bass and super-transparent highs •Ultra-high dynamic range •High-efficiency cobalt capsule •Single-sided coiled cord with oxygen-free copper wires •Round swiveling ear cups •Ultra-rugged headband construction 	HEADPHONES Closed-Type High-Definition DJ Headphones <ul style="list-style-type: none"> •High-definition bass and super-transparent highs •Ultra-high dynamic range •High-efficiency cobalt capsule •Single-sided coiled cord with oxygen-free copper wires •Round swiveling ear cups •Ultra-rugged headband construction

For guidance and information of all concerned.


HERMIE P. PAVA
BAC Chairperson for Goods and Services